

September, 2002

To our Partners in Health:

Health Profiles 2001 is the most recent product in our continuing effort to produce a comprehensive assessment of our progress as a community in pursuit of a safe and healthy environment. Each year we try to better understand the complex web of actions, conditions and indicators that must be monitored and analyzed in order to achieve an accurate portrayal of our health status. This year's efforts have benefited from our partnership with the Bexar County Community Health Collaborative. Its assessment of community health status based on neighborhood interviews, telephone surveys, focus groups and discussions with key stakeholders will add a valuable perspective and provide a new dimension to this year's report. As such, it should serve as an important companion document to our Health Profiles 2001.

Public health policies and programs can directly impact only a limited number of issues at any given time. We must continue our efforts to increase the levels of childhood immunizations, to reduce the use of tobacco products, to eliminate drug usage from our streets and schools and to reduce the rates of both intentional and non-intentional injuries. A broader community consensus, however, needs to be forged that will address the persistent and pervasive influence of poverty, inadequate housing, lack of education and poor employment prospects. For many in our community, even with a troubled economy and the pressures created by a tense international scene, these are still relatively good times. The prospect of being seriously threatened by lack of food, shelter, access to necessary health care or a sense of personal safety is remote. This scenario, however, is far from universal. In all too many cases, life is still a daily struggle to meet basic needs.

This annual report offers valuable information about our overall population and attempts to provide helpful insights on our most vulnerable and at risk residents. We have over time developed an increased capacity to identify, track and plan interventions that target these special populations. The charts and tables we have assembled in this report allow us to capture and document conditions that exist at a particular time and in a particular place. We hope that the policy makers, researchers and community leaders who review the data will find them useful and informative as they attempt to assign priorities and allocate resources. We will continue to utilize these data to monitor key indicators which measure our progress locally in meeting some of the goals set in the Healthy People 2010 Report.

There have been a number of accomplishments this year which promise to impact positively on our community's health status. We have launched a new Healthy Start initiative, which will focus on improving maternal and child health conditions, especially in targeted high-risk neighborhoods. On the environmental health front, we have opened a new Environmental Health and Wellness

Center which will provide health assessments to those residents living close to the former Kelly Air Force Base who feel they may have health problems related to environmental contamination. In a separate action, with support from the Air Force, we have created the Public Center for Environmental Health which will serve as our research arm coordinating data collection and analysis relating to environmental health impacts associated with the industrial and logistical operations of this former military installation. A second Foreign Travel Immunization Clinic has been opened to accommodate the growing demand for this service on the Northside. The Health District has been an active and enthusiastic participant in the "Fit City" campaign, promoting the benefits of exercise, good nutrition and a healthy lifestyle throughout the community. Finally, we are developing a new comprehensive health improvement plan utilizing much of the data in this report. In conjunction with other community partners, we will be creating strategies to address specific health issues our report has identified.

I would be remiss if I let this opportunity pass without commenting on the events of September 11<sup>th</sup> and our subsequent response to the threats of continued acts of terrorism. This new reality has forever changed the way we carry out our mission. Public health is about prevention, protection and offering assurances. It is about building infrastructure and capacities to respond to disasters and emergencies. However, we are now experiencing a new sense of vulnerability and uncertainty that is foreign to the American psyche. The new enemy is not natural disasters or familiar microbes. In the face of these threats our public health resources are being re-examined, priorities reordered, training upgraded and safeguards enhanced. We are under siege, but we must guard against developing a siege mentality. I have the greatest confidence that we have the expertise, dedication and creativity to weather this latest assault on our mission of providing a safe, healthy and humane environment for our loved ones as well as future generations. Our greatest strength as a community is our ability to come together and present a strong defense and a united front.

As in previous years, it is truly my privilege to present this Health Profiles 2001 report to the community. It is my hope that this data will be useful to elected public officials, health care providers, social service agencies, the business community and others who need current public health information to support resource allocation decisions, program design, policy development and similar applications. Ultimately, this endeavor must contribute to our efforts in assuring good health for everyone.

Sincerely,



Fernando A. Guerra, M.D., M.P.H.  
Director of Health

## **ACKNOWLEDGMENTS**

Gratitude is extended to everyone who participated in the development of this year's San Antonio Health Profiles. The contributions of Mr. Frank Blalock, Assistant Director of Health, Mr. Charles Pruski, Executive Assistant and Mr. John Berlanga, Management Analyst were especially insightful and substantive. Dr. Pamela Wood, Professor of Pediatrics, University of Texas Health Science Center at San Antonio is recognized for her generous assistance with sections dealing with asthma. We are also grateful for the support and endorsement extended by the Bexar County Medical Society to this year's report and we appreciate the input and suggestions provided by staff at the University of Texas Health Science Center School of Public Health. We offer special thanks to the residents in Occupational and Preventive Medicine, USAF School of Aerospace Medicine, Brooks AFB, William D. Spears, PhD, of the University of Texas Health Science Center/School of Public Health and to Mr. Alan Holden, our Duke University student intern. Their input and review of the material added immeasurably to the quality of the final product. The Texas Department of Health, the Bexar County Appraisal District and the San Antonio Housing Authority provided invaluable assistance through the data they made available. Finally, special appreciation is extended to Ms. Terry M. Brechtel, City Manager and Ms. Melissa Byrne Vossmer, Assistant City Manager, and Ms. Frances A. Gonzalez, Assistant to the City Manager, for their guidance and support throughout this process.

## **ACCESS TO THIS PUBLICATION**

In addition to the printed version of Health Profiles 2001, access is available:

- 1) Internet access to the complete report is available at:  
<http://www.samhd.org/profiles/>
- 2) A CD-ROM of the complete report is available. Orders may be placed by mail, e-mail, fax, or telephone.

Questions or comments regarding this report should be directed to:

John A. Berlanga  
Management Analyst  
Telephone: (210) 207-6976  
Facsimile: (210) 207-8999  
Email: [jberlanga@sanantonio.gov](mailto:jberlanga@sanantonio.gov)

The data and documents, which accompany the data in this report, are based upon information gathered by the 2000 census and have been assembled by The City of San Antonio for its internal purposes only. All data and documents are released without any express or implied warranty by The City of San Antonio as to accuracy, reliability, or fitness for any particular application. Other persons are cautioned to independently verify any data or other information if it is used for any other purpose.

	<b>Table of Contents</b>	<b>Page</b>
<b>I Demographics</b>		1
Selected Demographics and Health Indicators		2
Life Expectancy		3
Bexar County Population		4
Population by Age and Race /Ethnicity		5
Bexar County Population Pyramid		6
<b>II Maternal Indicators</b>		7
Maternal Health Indicators 1992-2001		8
Bexar County Maternal Health Indicators by Hospital		8
Maternal Health Indicators by Mother's Age		9
Multiple Births in Bexar County 1994-2001		10
Bexar County Births by Age of Mother & Birth Order		11
Bexar County Births to Single Mothers by Age of Mother & Birth Order		12
Bexar County Births to Mothers Age <20 by Age of Father		13
Low Birth Weight Births		14
San Antonio Births Summary by Council District		15
San Antonio Maternal Health Indicators by City Council District		16-17
San Antonio Births by Age of Mother and Council District		18
San Antonio Births to Single Mothers by Age & Council District		19
Births by Bexar County Precinct		20
Census Tract Maps of Total Births and Teen Births		21
Census Tract Maps of Low Birth Weight Births & Late Prenatal Care		22
Census Tract Maps of Single Mothers and Infant Deaths		23
Birth Indicators By Census Tract		24
<b>III Deaths</b>		29
Bexar County Neonatal and Infant Mortality		30
Neonatal, Infant and SIDS Deaths		31
Bexar County Leading Causes of Death		32
Bexar County Leading Causes of Death by Race/Ethnicity by Age		33
Bexar County Causes of Death by Gender		34
Bexar County Causes of Death by Race /Ethnicity		35
Bexar County Causes of Death by Age Group		36
Bexar County Leading Causes of Death by Age Group		37
San Antonio Deaths Summary by Council District		38
San Antonio Selected Death Rates by Council District		39-40
Deaths by Bexar County Precinct		41
Census Tracts Map of Heart Disease Deaths and Death Rates		42
Census Tracts Map of Cancer Deaths and Death Rates		43
Census Tracts Map of Diabetes Deaths and Death Rates		44
Heart Disease Deaths by Age by Race/Ethnicity		45
Cancer Deaths by Age by Race/Ethnicity		46
Diabetes Deaths by Age by Race/Ethnicity		47
Suicide Deaths by Age by Race/Ethnicity		48
Homicide Deaths by Age by Race/Ethnicity		49
Selected Deaths By Census Tract		50


<b>IV Environment</b>	55
Maps of Asthma Inpatient Population and Rates	56
Asthma Inpatient Population by Zip Code and Year	57
Environmental Health Indicators	58
Elevated Lead Cases (Children, Ages 0 to 6 )	56
Maps of Kelly Plume by Contaminant	59
Stray/Unwanted Animal Calls and Animals Picked Up	60
San Antonio Housing Authority Section 8 Housing	61
<b>V Education and Maternal Indicators</b>	
Bexar County Education Statistics by District	62
Maternal Indicators by Schools District Attendance Areas	63
<b>VI Other Public Health Information</b>	64
Selected Reportable Communicable Diseases	65
Preventable/ Selected Reportable Diseases	66
Sexually Transmitted Diseases	67
Sexually Transmitted Diseases by Age	68
Sexually Transmitted Diseases by Zip Code	69
Health Benchmarks	70
Behavioral Risk Factor Surveillance	71
<b>VII Cancer</b>	72
Bexar County Cancer Deaths by Race and Ethnicity	73
Bexar County Cancer Deaths by Age Group	74
<b>Glossary</b>	
Glossary	

# **Demographics**




# 2001 Selected Health Demographics and Health Indicators

San Antonio Natality Completed Birth Records



Bexar County Educational Attainment



2001 City of San Antonio Population Estimate		Number		2001 Census Population Estimate	Number	
San Antonio Population		1,232,400		Bexar County Population	1,438,973	
San Antonio Poverty Status 2000 Census		<u>Number Below Poverty Level</u>	<u>% Below Poverty Level</u>	Bexar County Educational Attainment		<u>Number</u> <u>% Pop. 25 Yrs &amp; up</u>
Individuals.....		193,731	17.3	Population 25 years and over.....	849,004	100.0
18 years and over.....		114,770	14.3	Less than 9th grade.....	95,962	11.3
65 years and over.....		15,441	13.5	9th to 12th grade, no diploma.....	99,918	11.8
Related children under 18 years.....		77,739	24.3	High school graduate.....	206,345	24.3
Related children 5 to 17 years.....		53,379	23.3	Some college, no degree.....	203,214	23.9
Median household income	\$	36,214		Associate degree.....	51,111	6.0
May 2002 Texas Workforce Commission Unemployed		89,216	6.2%	Bachelor's degree.....	121,669	14.3
Lacking complete plumbing facilities....		2,339		Graduate or professional degree.....	70,785	8.3
San Antonio Natality	Number	% of Births	CDC 2001	Bexar County Natality	Number	% of Births
Total Births	20,321	100%	100.0%	Total Births	23,982	100%
Hispanic Births	13,469	66.3%	21.0%	Hispanic Births	15,161	63.2%
Non-Hispanic White Births	4,868	24.0%	57.8%	Non Hispanic White Births	6,338	26.4%
Black Births	1,069	5.3%	14.9%	Black Births	1,356	5.7%
Other Births	386	1.9%	6.3%	Other Births	468	2.0%
Ethnicity not given	164	0.8%		Missing Ethnicity	217	0.9%
Incomplete Birth Record*	365	1.8%	0.0%	Incomplete Birth Record*	433	1.8%
Mother's Age <18	1,392	6.9%	3.8%	Mother's Age <18	1,573	6.6%
Low Birth Weight Births	1,609	7.9%	7.6%	Low Birth Weight Births	1,888	7.9%
Late Prenatal Care Births	2,820	13.9%	16.6%	Late Prenatal Care Births	3,205	13.4%
Births to Single Mothers	7,284	35.8%	33.4%	Births to Single Mothers	8,239	34.4%
Infant Mortality**	122	6.0	7.2	Infant Mortality**	146	6.1
Bexar County Mortality	Number	Age Adjusted to 2000 Pop.	Target Rate	Communicable Diseases Morbidity	Number	Crude Rate
Heart Disease	2,671	238.6	166.0	Primary & Secondary Syphilis	192	13.3
Cerebrovascular diseases	678	61.1	48.0	Gonorrhea	2,188	152.1
Homicide	113	8.0	3.2	AIDS	200	13.9
Suicide	131	9.8	6.0	HIV	245	17.0
Diabetes	475	41.5	45.0	Chlamydia	5835	405.5
Malignant neoplasms	2,039	175.1	158.7	Tuberculosis	76	5.3
-lung	449	38.8	44.8	Hepatitis A	49	3.4
-breast	160	26.8	22.2	Hepatitis B	142	9.9
-prostate	110	19.8	28.7	Hepatitis C	2,890	200.8
Unintentional Injury (w/o MV)	226	18.2	20.8	Rabies Cases in Animals	24	

All births and deaths are by county of residence.

TDH Birth and Deaths Data as of June 2002

Bexar County population is 2001 Census Estimate used for National and State Comparisons

Low Birth Weight-live-born infants weighing > 2,500 grams

\* Incomplete due to missing information or delays in processing

Communicable disease & death rates are per 100k population.


\*\*Infant Mortality rates are per 1,000 live births.

Late prenatal care-no prenatal care during the 1st trimester


\*\*\*TDH cannot accurately estimate

Age Adjusted Death Rate calculations uses 2000 standard population

## Life Expectancy 2001




## Death Rate by Age by Race/Ethnicity by Gender



# Bexar County Population

Projected Bexar County Population by Race and Ethnicity 2000 to 2040



Source: U.S. Census and Texas State Data Center  
<http://txsdc.tamu.edu/cgi-bin/prj2001totnum.cgi>

## 2000 Population by Age and Race /Ethnicity

2000 U.S. Census


Ages	NH White	Hispanic	Black	Other	Total
0-4	26,974	71,998	7,815	3,161	109,948
5-9	29,219	70,874	8,607	3,059	111,759
10-14	29,915	67,886	8,775	2,922	109,498
15-17	17,918	40,578	5,042	1,730	65,268
18- 19	12,943	26,868	3,784	1,358	44,953
20	6,108	13,412	1,640	676	21,836
21	5,642	12,716	1,565	669	20,592
22-24	17,488	37,586	4,159	1,981	61,214
25-29	32,939	63,361	7,168	3,479	106,947
30-34	34,450	58,138	7,446	3,336	103,370
35-39	40,933	58,556	8,682	3,445	111,616
40-44	40,989	51,652	8,200	3,182	104,023
45-49	38,656	44,324	6,711	2,930	92,621
50-54	35,920	36,848	5,056	2,354	80,178
55-59	27,275	26,065	3,787	1,587	58,714
60- 61	9,033	8,511	1,217	518	19,279
62-64	12,438	11,913	1,720	646	26,717
65-66	7,934	7,407	1,167	384	16,892
67-69	12,115	10,303	1,684	618	24,720
70-74	18,317	15,311	2,156	720	36,504
75-79	17,784	11,465	1,629	443	31,321
80- 84	11,778	6,013	1,033	256	19,080
85+	9,477	5,248	982	174	15,881
Total	496,245	757,033	100,025	39,628	1,392,931

## 2000 Population by Age and Race /Ethnicity and Gender

2000 U.S. Census

Ages	NH White Male	NH White Female	Hispanic Male	Hispanic Female	Black Male	Black Female	Other Male	Other Female	Total
0-4	13,890	13,084	36,797	35,201	3,967	3,848	1,572	1,589	109,948
5-9	14,990	14,229	36,240	34,634	4,292	4,315	1,597	1,462	111,759
10-14	15,314	14,601	34,603	33,283	4,405	4,370	1,473	1,449	109,498
15-17	9,155	8,763	20,618	19,960	2,576	2,466	855	875	65,268
18- 19	7,018	5,925	13,440	13,428	1,970	1,814	671	687	44,953
20	3,268	2,840	6,500	6,912	840	800	378	298	21,836
21	2,921	2,721	6,294	6,422	754	811	329	340	20,592
22-24	8,680	8,808	18,545	19,041	2,096	2,063	964	1,017	61,214
25-29	16,458	16,481	31,038	32,323	3,588	3,580	1,685	1,794	106,947
30-34	17,468	16,982	28,725	29,413	3,684	3,762	1,633	1,703	103,370
35-39	20,566	20,367	28,724	29,832	4,226	4,456	1,656	1,789	111,616
40-44	20,329	20,660	25,166	26,486	3,921	4,279	1,418	1,764	104,023
45-49	18,724	19,932	21,037	23,287	3,239	3,472	1,191	1,739	92,621
50-54	17,754	18,166	17,059	19,789	2,421	2,635	948	1,406	80,178
55-59	13,440	13,835	11,964	14,101	1,761	2,026	654	933	58,714
60- 61	4,293	4,740	3,868	4,643	545	672	216	302	19,279
62-64	5,962	6,476	5,213	6,700	790	930	256	390	26,717
65-66	3,815	4,119	3,261	4,146	553	614	134	250	16,892
67-69	5,910	6,205	4,422	5,881	747	937	214	404	24,720
70-74	7,935	10,382	6,286	9,025	810	1,346	268	452	36,504
75-79	7,040	10,744	4,570	6,895	650	979	170	273	31,321
80- 84	4,695	7,083	2,278	3,735	365	668	104	152	19,080
85+	2,724	6,753	1,628	3,620	274	708	56	118	15,881
Total	242,349	253,896	368,276	388,757	48,474	51,551	18,442	21,186	1,392,931

## Bexar County 2000 Census Population Pyramid by Race and Ethnicity



Source: U.S. Census

# **Maternal Health Indicators**

**Bexar County Maternal Health Indicators 1992 - 2001**

	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
<b>Total Births</b>	22,058	22,541	22,599	22,346	22,691	22,810	23,203	23,496	24,065	23,982
<b>Births to Mothers &lt; 18</b>	1,497	1,611	1,751	1,746	1,696	1,775	1,595	1,587	1,593	1,573
<b>Percent of Births to Mothers &lt;18</b>	6.79%	7.15%	7.75%	7.81%	7.47%	7.78%	6.87%	6.75%	6.62%	6.56%
<b>Subsequent Births to Mothers &lt; 18</b>	334	324	238	238	235	256	203	226	221	260
<b>Births to Single Mothers</b>	4,091	4,176	6,377	5,614	5,655	6,954	6,875	7,165	8,006	8,239
<b>Births to Mothers Receiving Late or no Prenatal Care</b>	4,972	4,573	4,361	4,003	3,542	3,681	3,374	3,446	3,442	3,205
<b>Low Birth Weight Infants (&lt;2500 grams)</b>	1,562	1,571	1,561	1,620	1,657	1,630	1,674	1,737	1,756	1,888
<b>Infant Deaths</b>	161	184	170	173	178	173	149	145	118	146
<b>Infant Death rate per 1,000 Births</b>	7.3	8.2	7.5	7.7	7.8	7.6	6.4	6.2	4.9	6.1

**2001 Bexar County Maternal Health Indicators by Hospital**

Hospital	Total Births	%	Births to Mothers < 18	%	Single Mother Births	%	LBW Births (<2500 grams)	%	Late Prenatal Care Births	%	Medicaid Births	%
Baptist Medical Center	1,373	6%	148	11%	665	48%	123	9%	314	23%	1,028	75%
Brooke Army Medical Center	3	0%	2	67%	3	100%	1	33%	1	33%	1	33%
CHRISTUS Santa Rosa Hospital	2,221	9%	323	15%	854	38%	312	14%	481	22%	1,555	70%
CHRISTUS Santa Rosa Med Center	937	4%	102	11%	381	41%	53	6%	135	14%	446	48%
Home Births	51	0%	-	0%	3	6%	1	2%	11	22%	1	2%
Metropolitan Methodist Hosp	2,894	12%	281	10%	1,491	52%	199	7%	179	6%	1,936	67%
NC Baptist Hospital	1,249	5%	32	3%	235	19%	65	5%	86	7%	252	20%
NE Baptist Hospital	1,550	6%	38	2%	339	22%	100	6%	169	11%	365	24%
Nix Hospital	573	2%	33	6%	211	37%	15	3%	57	10%	274	48%
Other Location	1	0%	-	0%	-	0%	1	100%	-	0%	-	0%
S.W. General Hospital	1,640	7%	204	12%	953	58%	104	6%	351	21%	1,439	88%
SE Baptist Hospital	356	1%	38	11%	141	40%	18	5%	57	16%	139	39%
Southwest Tx Methodist	5,415	23%	147	3%	1,277	24%	399	7%	383	7%	1,495	28%
St Luke Baptist Hosp	1,470	6%	53	4%	442	30%	135	9%	187	13%	578	39%
University Hospital	2,644	11%	135	5%	1,033	39%	246	9%	610	23%	515	19%
Wilford Hall Medical Center	1,605	7%	37	2%	211	13%	116	7%	184	11%	-	0%
<b>Total</b>	<b>23,982</b>	<b>100%</b>	<b>1,573</b>	<b>7%</b>	<b>8,239</b>	<b>34%</b>	<b>1,888</b>	<b>8%</b>	<b>3,205</b>	<b>13%</b>	<b>10,024</b>	<b>42%</b>

## 2001 Bexar County Maternal Health Indicators by Mother's Age

Age of Mother	Total Births	Subsequent Births to Mothers*		Births to Single Mothers		Births to Mothers Receiving Late or no Prenatal Care		Low Birth Weight Infants (<2500 grams)	
12	1		0%	1	100%	1	100%	1	100%
13	18	1	6%	16	89%	7	39%	4	22%
14	79	5	6%	72	91%	23	29%	9	11%
15	223	22	10%	180	81%	64	29%	23	10%
16	503	57	11%	407	81%	117	23%	42	8%
17	749	175	23%	575	77%	172	23%	65	9%
18	981	290	30%	696	71%	242	25%	95	10%
19	1,215	471	39%	728	60%	256	21%	89	7%
20	1,357	636	47%	764	56%	247	18%	112	8%
21	1,404	817	58%	698	50%	238	17%	120	9%
22	1,422	849	60%	657	46%	227	16%	122	9%
23	1,336	867	65%	540	40%	212	16%	83	6%
24	1,208	795	66%	393	33%	153	13%	90	7%
25	1,197	814	68%	356	30%	165	14%	84	7%
26	1,254	821	65%	328	26%	143	11%	82	7%
27	1,270	863	68%	273	21%	117	9%	95	7%
28	1,261	882	70%	272	22%	130	10%	91	7%
29	1,237	847	68%	227	18%	106	9%	72	6%
30	1,233	875	71%	203	16%	97	8%	81	7%
31	1,061	774	73%	158	15%	72	7%	75	7%
32	908	637	70%	139	15%	71	8%	52	6%
33	804	626	78%	96	12%	52	6%	74	9%
34	700	544	78%	107	15%	66	9%	58	8%
35	577	455	79%	69	12%	50	9%	53	9%
36	535	413	77%	79	15%	41	8%	54	10%
37	408	323	79%	52	13%	27	7%	36	9%
38	331	260	79%	40	12%	23	7%	40	12%
39	259	215	83%	40	15%	27	10%	30	12%
40	180	150	83%	33	18%	21	12%	27	15%
41	110	93	85%	22	20%	17	15%	11	10%
42	77	58	75%	11	14%	9	12%	6	8%
43	47	34	72%	3	6%	5	11%	4	9%
44	16	15	94%	3	19%	6	38%	2	13%
45	13	7	54%	1	8%	1	8%	3	23%
46	1		0%		0%		0%	-	0%
plus	7	5	71%		0%		0%	3	43%
<b>Total</b>	<b>23,982</b>	<b>14,696</b>	<b>61%</b>	<b>8,239</b>	<b>34%</b>	<b>3,205</b>	<b>13%</b>	<b>1,888</b>	<b>8%</b>

\* Births to mothers with one or more previous births.

## Multiple Births in Bexar County 1994-2001

	Age of Mother	Single	Twin	Triplet	Quad	Total Births	Percent Multiple
<b>2001</b>	10 - 16	812	12		-	<b>824</b>	1.5%
	17 - 21	5,586	117	3	-	<b>5,706</b>	2.1%
	22 - 26	6,263	154			<b>6,417</b>	2.4%
	27 +	10,657	353	17	8	<b>11,035</b>	3.4%
<b>Total</b>		<b>23,318</b>	<b>636</b>	<b>20</b>	<b>8</b>	<b>23,982</b>	2.8%
<b>2000</b>	10 - 16	830	4		-	<b>834</b>	0.5%
	17 - 21	5,743	90	3	-	<b>5,836</b>	1.6%
	22 - 26	6,197	150	3		<b>6,350</b>	2.4%
	27 +	10,644	377	24		<b>11,045</b>	3.6%
<b>Total</b>		<b>23,414</b>	<b>621</b>	<b>30</b>	-	<b>24,065</b>	2.7%
<b>1999</b>	10 - 16	831	6	-	-	<b>837</b>	0.7%
	17 - 21	5,644	74	3	-	<b>5,721</b>	1.3%
	22 - 26	6,164	120	-		<b>6,284</b>	1.9%
	27 +	10,278	340	36		<b>10,654</b>	3.5%
<b>Total</b>		<b>22,917</b>	<b>540</b>	<b>39</b>	-	<b>23,496</b>	2.5%
<b>1998</b>	10 - 16	850	13			<b>863</b>	1.5%
	17 - 21	5,557	56			<b>5,613</b>	1.0%
	22 - 26	6,129	103			<b>6,232</b>	1.7%
	27 +	10,113	352	30		<b>10,495</b>	3.6%
<b>Total</b>		<b>22,649</b>	<b>524</b>	<b>30</b>	-	<b>23,203</b>	2.4%
<b>1997</b>	10 - 16	882	21	3		<b>906</b>	2.6%
	17 - 21	5,374	87			<b>5,461</b>	1.6%
	22 - 26	6,213	113			<b>6,326</b>	1.8%
	27 +	9,842	260	15		<b>10,117</b>	2.7%
<b>Total</b>		<b>22,311</b>	<b>481</b>	<b>18</b>	-	<b>22,810</b>	2.2%
<b>1996</b>	10 - 16	898	6	3		<b>907</b>	1.0%
	17 - 21	5,296	70	3		<b>5,369</b>	1.4%
	22 - 26	6,261	145	6		<b>6,412</b>	2.4%
	27 +	9,761	284			<b>10,045</b>	2.8%
<b>Total</b>		<b>22,216</b>	<b>505</b>	<b>12</b>	-	<b>22,733</b>	2.3%
<b>1995</b>	10 - 16	985	14			<b>999</b>	1.4%
	17 - 21	5,209	56	3		<b>5,268</b>	1.1%
	22 - 26	6,158	109			<b>6,267</b>	1.7%
	27 +	9,575	230	9	4	<b>9,818</b>	2.5%
<b>Total</b>		<b>21,927</b>	<b>409</b>	<b>12</b>	<b>4</b>	<b>22,352</b>	1.9%
<b>1994</b>	10 - 16	949	8			<b>957</b>	0.8%
	17 - 21	5,403	76			<b>5,479</b>	1.4%
	22 - 26	6,158	112	3		<b>6,273</b>	1.8%
	27 +	9,638	244	11		<b>9,893</b>	2.6%
<b>Total</b>		<b>22,148</b>	<b>440</b>	<b>14</b>	-	<b>22,602</b>	2.0%

All numbers indicate single live births in each category.

(e.g. 13 sets of triplets born in 1999)

## 2001 Bexar County Births by Age of Mother and Birth Order

	Birth Order														
	1	2	3	4	5	6	7	8	9	10	11	12	13	Not Given*	Total
<b>Age of Mother</b>															
<b>12</b>	1														<b>1</b>
<b>13</b>	17													1	<b>18</b>
<b>14</b>	74	3	1											1	<b>79</b>
<b>15</b>	201	16	1											5	<b>223</b>
<b>16</b>	446	49	5											3	<b>503</b>
<b>17</b>	574	147	19											9	<b>749</b>
<b>18</b>	691	240	37	4										9	<b>981</b>
<b>19</b>	744	338	105	14	3									11	<b>1215</b>
<b>20</b>	721	437	140	45	8									6	<b>1357</b>
<b>21</b>	587	489	226	70	15	3								14	<b>1404</b>
<b>22</b>	573	502	222	90	23	5								7	<b>1422</b>
<b>23</b>	469	472	274	83	22	5	1							10	<b>1336</b>
<b>24</b>	413	416	236	89	34	8	2	2						8	<b>1208</b>
<b>25</b>	383	402	257	100	32	6	6	2						9	<b>1197</b>
<b>26</b>	433	404	247	109	41	7	5	1						7	<b>1254</b>
<b>27</b>	407	414	275	115	35	12	4	1		1				6	<b>1270</b>
<b>28</b>	379	426	256	133	36	10	11	3	1					6	<b>1261</b>
<b>29</b>	390	383	292	111	35	12	6	2		1				5	<b>1237</b>
<b>30</b>	358	426	265	113	35	15	8	4	1					8	<b>1233</b>
<b>31</b>	287	372	238	97	31	19	7	4		1				5	<b>1061</b>
<b>32</b>	271	277	213	93	25	16	4	3	3		1			2	<b>908</b>
<b>33</b>	178	278	201	89	29	14	3	6	1	1				4	<b>804</b>
<b>34</b>	156	228	177	77	39	8	4	3	1		1			6	<b>700</b>
<b>35</b>	122	183	151	64	35	6	6	1	2					1	<b>577</b>
<b>36</b>	122	162	140	64	13	16	8	2	3	2	1			2	<b>535</b>
<b>37</b>	85	118	106	60	20	9	2	2	4					2	<b>408</b>
<b>38</b>	71	99	95	34	18	9	5								<b>331</b>
<b>39</b>	44	68	63	43	19	9	5	3	2		2			1	<b>259</b>
<b>40</b>	30	47	39	43	7	9	3			1				1	<b>180</b>
<b>41</b>	17	26	30	21	3	4	4	4	1						<b>110</b>
<b>42</b>	19	23	14	12	5		3	1							<b>77</b>
<b>43</b>	13	10	9	6	2	2		3		2					<b>47</b>
<b>44</b>	1	4	2	4	2		1		1	1					<b>16</b>
<b>45</b>	6	2	4	1											<b>13</b>
<b>46</b>	1														<b>1</b>
<b>47</b>	1														<b>1</b>
<b>48</b>	1					1									<b>2</b>
<b>49</b>		4													<b>4</b>
<b>Total</b>	<b>9,286</b>	<b>7,465</b>	<b>4,340</b>	<b>1,784</b>	<b>567</b>	<b>205</b>	<b>93</b>	<b>48</b>	<b>23</b>	<b>7</b>	<b>8</b>	<b>1</b>	<b>1</b>	<b>154</b>	<b>23,982</b>

\* Birth order of infant not given in birth record.

## 2001 Bexar County Births to Single Mothers by Age and Birth Order

	Birth Order														
Age of Mother	1	2	3	4	5	6	7	8	9	10	11	12	13	Not Given*	Total
12	1													1	
13	15												1	16	
14	67	3	1										1	72	
15	164	11											5	180	
16	361	38	5										3	407	
17	441	115	10										9	575	
18	502	155	30	2									7	696	
19	469	180	56	13	1								9	728	
20	429	233	71	23	4								4	764	
21	299	222	109	51	7	3							7	698	
22	247	230	111	50	11	4							4	657	
23	187	185	106	42	13	3							4	540	
24	136	126	74	36	14	2	1	1					3	393	
25	98	107	86	46	11	3	3						2	356	
26	86	113	65	37	21	2	3						1	328	
27	68	80	60	37	15	7	2						4	273	
28	73	71	59	45	14	4	2	2	1				1	272	
29	60	63	52	31	8	8	3						2	227	
30	38	62	55	21	14	4	4	3	1				1	203	
31	40	31	35	25	12	8	4	1		1			1	158	
32	37	29	34	22	7	4	2	2	1		1			139	
33	19	25	21	14	9	5	1	2						96	
34	22	22	33	13	8	3	2			1			3	107	
35	12	18	17	10	5	1	3						3	69	
36	17	18	17	10	7	5	3	1	1					79	
37	7	10	13	6	6	3	1	1	4				1	52	
38	6	11	7	7	4	4	1							40	
39	4	9	13	3	5	3		1	1		1			40	
40	6	8	6	8	2	2							1	33	
41	1	3	8	4	1	2	1	2						22	
42		3	5	1	2									11	
43				2	1									3	
44		1	1	1										3	
45				1										1	
46														0	
47+														0	
<b>Total</b>	<b>3,913</b>	<b>2,182</b>	<b>1,161</b>	<b>559</b>	<b>202</b>	<b>80</b>	<b>36</b>	<b>16</b>	<b>9</b>	<b>1</b>	<b>3</b>	<b>0</b>	<b>0</b>	<b>77</b>	<b>8239</b>


\* Birth order of infant not given in birth record.

## 2001 Bexar County Births to Teenage Mothers by Age of Father


	Age of Mother									
Age of Father	12	13	14	15	16	17	18	19	Total	
12									0	
13		1	2						3	
14		1			1				2	
15		1	5	15	10	8	5		44	
16		1	6	21	46	25	9	2	110	
17		2	7	32	80	88	42	20	271	
18			5	23	69	98	104	66	365	
19		1	3	28	46	102	136	147	463	
20		1	3	12	40	66	113	168	403	
21			1	6	16	53	107	152	335	
22				1	12	30	52	102	197	
23			2		8	25	31	70	136	
24					3	12	24	54	93	
25					6	8	26	37	77	
26					3	9	17	32	61	
27				1	1	1	12	19	34	
28			1			1	10	15	27	
29				1	1	2	3	15	22	
30			1	2	2	1	3	7	16	
31						1	4	4	9	
32					1	1	2	1	5	
33							2	7	9	
34						2	2	7	11	
35						1	2		3	
36							3	1	4	
37						1	1		2	
38							1	1	2	
39							1		1	
40							1		1	
41							1		1	
42								1	1	
43							1		1	
44								1	1	
45									0	
46					1				1	
47+								2	2	
Unavailable		11	43	81	157	213	266	285	1,056	
Total	1	18	79	223	503	749	981	1,215	3,769	

Note: As indicated above, the records of 1,056 births to teenage mothers did not provide the age of the father.


### Bexar County Births by Race & Ethnicity



### Bexar County Low Birth Weight (<2500 grams) Births by Race & Ethnicity



### % Bexar County Low Birth Weight (<2500 grams) Births by Race & Ethnicity



**2001 Birth Summary by  
San Antonio City Council District**

COUNCIL DISTRICT	TOTAL BIRTHS	MATERNAL AGE < 18	LATE PRE-NATAL CARE	LOW BIRTH WEIGHT	BIRTHS TO SINGLE MOTHERS	INFANT DEATHS	Rate
	#	%	#	%	#	%	#
1	1734	141	8.1%	297	17.1%	122	7.0%
2	1792	170	9.5%	347	19.4%	193	10.8%
3	1795	150	8.4%	252	14.0%	141	7.9%
4	2450	253	10.3%	357	14.6%	226	9.2%
5	1648	192	11.7%	305	18.5%	134	8.1%
6	2358	183	7.8%	335	14.2%	174	7.4%
7	1855	124	6.7%	259	14.0%	141	7.6%
8	2596	61	2.3%	214	8.2%	187	7.2%
9	2180	62	2.8%	238	10.9%	130	6.0%
10	1913	56	2.9%	216	11.3%	161	8.4%
Total	20,321	1,392	6.9%	2,820	13.9%	1,609	7.9%
						7,284	35.8%
						122	6.0

**2000 Birth Summary by  
San Antonio City Council District**

COUNCIL DISTRICT	TOTAL BIRTHS	MATERNAL AGE < 18	LATE PRE-NATAL CARE	LOW BIRTH WEIGHT	BIRTHS TO SINGLE MOTHERS	INFANT DEATHS	Rate
	#	%	#	%	#	%	#
1	1,790	153	8.5%	329	18.4%	131	7.3%
2	1,795	191	10.6%	369	20.6%	162	9.0%
3	1,801	149	8.3%	290	16.1%	150	8.3%
4	2,475	241	9.7%	400	16.2%	179	7.2%
5	1,757	216	12.3%	395	22.5%	137	7.8%
6	2,325	173	7.4%	318	13.7%	187	8.0%
7	1,906	123	6.5%	260	13.6%	150	7.9%
8	2,659	68	2.6%	244	9.2%	165	6.2%
9	2,077	59	2.8%	207	10.0%	151	7.3%
10	1,915	61	3.2%	179	9.3%	113	5.9%
Total	20,500	1,434	7.0%	2,991	14.6%	1,525	7.4%
						7,112	34.7%
						103	5.0

**1999 Birth Summary by  
San Antonio City Council District**

COUNCIL DISTRICT	TOTAL BIRTHS	MATERNAL AGE < 18	LATE PRE-NATAL CARE	LOW BIRTH WEIGHT	BIRTHS TO SINGLE MOTHERS	INFANT DEATHS	Rate
	#	%	#	%	#	%	#
1	1,830	169	9.2%	373	20.4%	144	7.9%
2	1,715	166	9.7%	355	20.7%	163	9.5%
3	1,775	187	10.5%	293	16.5%	143	8.1%
4	2,474	234	9.5%	407	16.5%	155	6.3%
5	1,791	209	11.7%	373	20.8%	124	6.9%
6	2,198	153	7.0%	346	15.7%	202	9.2%
7	1,820	129	7.1%	314	17.3%	145	8.0%
8	2,458	55	2.2%	216	8.8%	165	6.7%
9	1,946	43	2.2%	168	8.6%	124	6.4%
10	1,777	53	3.0%	186	10.5%	127	7.1%
Total	19,784	1,398	7.1%	3,031	15.3%	1,492	7.5%
						6,300	31.8%
						124	6.3


Late Prenatal Care refers to mother who did not receive prenatal care during the first trimester of pregnancy.

Low Birth Weight represents live-born infants weighing less than 2,500 grams at birth.

Infant Death Rates are computed Per 1,000 Live Births.

# Maternal Health Indicators by San Antonio City Council District 1999 to 2001


## Maternal Age < 18 as a Percentage of all Births



San Antonio City Council Districts

— Healthy People 2010 Goal no more than 5% of all Births.


## Late or no Prenatal Care as a Percentage of All Births



San Antonio City Council Districts

— Healthy People 2010 Goal at least 90% Care within the 1st trimester.

## Low Birth Weight (<2500) Grams as a Percentage of all Births




San Antonio City Council Districts


— Healthy People 2010 Goal at least 95% of live born infants weighing > 2,500 grams at birth.

## Maternal Health Indicators by San Antonio City Council District 1999 to 2001

### Births to Single Mothers as a Percentage of all Births



### Infant Mortality Rate per 1,000 Births



## 2001 San Antonio Births by Age of Mother and City Council District

Council District

	1	2	3	4	5	6	7	8	9	10	Total
Age of Mother											
12			1								1
13	2	3		5	2	3				1	16
14	9	9	8	15	10	9	4		1	2	67
15	17	23	21	39	29	24	22	10	12	4	201
16	54	54	57	78	61	54	36	15	23	20	452
17	59	81	63	116	90	93	62	36	26	29	655
18	90	108	114	124	106	123	68	55	52	48	888
19	99	109	138	156	104	135	95	90	55	71	1,052
20	101	137	121	166	141	142	112	94	72	91	1,177
21	114	128	117	181	100	162	124	114	94	101	1,235
22	105	132	125	169	127	153	103	123	108	94	1,239
23	105	115	121	154	102	151	91	122	96	101	1,158
24	101	121	94	115	87	116	96	137	99	73	1,039
25	110	78	84	121	76	117	89	117	104	102	998
26	107	90	83	128	87	139	87	150	87	91	1,049
27	94	80	97	131	80	125	99	154	94	106	1,060
28	86	78	70	105	73	112	97	142	136	129	1,028
29	80	75	84	107	62	117	93	149	142	131	1,040
30	63	66	89	109	54	117	94	182	137	111	1,022
31	59	62	45	89	43	82	83	169	135	130	897
32	45	51	41	66	33	96	83	122	114	96	747
33	47	30	37	61	34	52	63	116	117	86	643
34	46	26	40	45	35	46	46	106	118	63	571
35	29	37	36	39	27	35	44	91	90	48	476
36	35	24	22	41	24	46	58	79	76	44	449
37	25	22	32	22	22	32	18	60	60	48	341
38	13	18	22	21	10	23	25	52	48	28	260
39	16	10	14	19	11	19	19	35	28	28	199
40	10	8	6	13	7	17	15	28	26	14	144
41	7	8	8	7	4	4	10	21	11	10	90
42	2	5	2	3	3	7	10	11	9	5	57
43	4	1	2	2	3	3	7	5	8	5	40
44		2			1	3		3		3	12
45+		1	1	3		1	2	8	2		18
<b>Total</b>	<b>1,734</b>	<b>1,792</b>	<b>1,795</b>	<b>2,450</b>	<b>1,648</b>	<b>2,358</b>	<b>1,855</b>	<b>2,596</b>	<b>2,180</b>	<b>1,913</b>	<b>20,321</b>

## 2001 San Antonio Births to Single Mothers by Age of Mother and City Council District

	Council District										
Age of Mother	1	2	3	4	5	6	7	8	9	10	Total
12			1								1
13	2	2		4	2	3				1	14
14	8	8	7	15	10	8	4		1	1	62
15	14	21	17	28	22	21	17	8	10	4	162
16	42	47	49	59	43	44	30	11	22	18	365
17	39	67	53	95	61	70	45	30	18	24	502
18	54	84	77	88	71	94	50	40	31	37	626
19	53	71	94	96	62	85	52	57	34	30	634
20	55	85	71	96	84	74	65	48	37	56	671
21	60	72	58	95	50	76	68	57	42	44	622
22	55	77	59	87	74	61	45	42	43	33	576
23	40	73	48	64	45	62	42	46	42	27	489
24	35	43	41	43	33	34	31	39	28	24	351
25	39	34	31	41	30	33	22	27	28	29	314
26	37	42	27	35	31	28	16	34	14	23	287
27	32	27	27	37	20	30	21	17	16	17	244
28	27	29	19	30	22	20	27	20	21	19	234
29	21	14	19	29	16	27	15	18	17	18	194
30	21	25	21	24	17	26	14	10	18	9	185
31	20	20	15	13	13	13	12	13	13	10	142
32	8	14	9	15	17	19	11	10	13	8	124
33	8	11	5	12	9	11	9	8	5	9	87
34	10	8	8	16	12	4	11	11	9	6	95
35	5	7	6	6	7	11	5	5	6	3	61
36	10	8	2	9	7	4	11	3	7	5	66
37	4	8	7	6	6	5	3	2	2	3	46
38	2	3	5	7	2	5	1	4	2	3	34
39	3	3	2	2	3	4	3	4	3	5	32
40	2	3	3	5	2	2	3	5	1	3	29
41	3	4	2	4	1	1	3	2			20
42	1			2	1	2	2	1			9
43	3										3
44		1								1	2
45+		1									1
<b>Total</b>	<b>713</b>	<b>912</b>	<b>783</b>	<b>1,063</b>	<b>773</b>	<b>877</b>	<b>638</b>	<b>572</b>	<b>483</b>	<b>470</b>	<b>7,284</b>

# **2001 Birth Summary by Bexar County Precinct**

Precinct	TOTAL BIRTHS	MATERNAL AGE < 18	LATE PRE-NATAL CARE	LOW BIRTH WEIGHT	BIRTHS TO SINGLE MOTHERS	INFANT MORTALITY			
	%	#	%	#	%	RATE	#		
1	6,397	8.8%	565	13.7%	877	8.2%	2526	5.2	33
2	6,068	8.4%	508	15.9%	967	7.3%	2320	4.6	28
3	5,966	2.3%	138	8.7%	522	7.2%	1249	5.9	35
4	5,177	6.5%	336	15.3%	793	9.1%	2021	8.3	43
Not Given*	374		26	46	26	123		7	
Total	23,982	6.6%	1,573	13.4%	3205	7.9%	8,239	6.1	146

## **2000 Birth Summary by Bexar County Precinct**

by Local County Precinct											
Precinct	TOTAL BIRTHS	MATERNAL AGE < 18		LATE PRE-NATAL CARE		LOW BIRTH WEIGHT		BIRTHS TO SINGLE MOTHERS		INFANT MORTALITY	
	%	#	%	#	%	#	%	#	RATE	#	
1	6,253	8.2%	513	15.8%	988	7.5%	466	38.3%	2,392	5.1	32
2	6,157	8.2%	503	16.1%	992	7.6%	470	36.9%	2,273	4.2	26
3	6,071	2.5%	153	8.6%	521	6.6%	401	19.6%	1,187	4.3	26
4	5,244	7.7%	402	16.9%	884	7.6%	401	39.0%	2,043	5.9	31
Not Given*	340		22		57		18		111		3
Total	24,065	6.6%	1,593	14.3%	3442	7.3%	1,756	33.3%	8,006	4.9	118

## **1999 Birth Summary by Bexar County Precinct**

Precinct	TOTAL BIRTHS	MATERNAL AGE < 18	LATE PRE-NATAL CARE	LOW BIRTH WEIGHT	BIRTHS TO SINGLE MOTHERS	INFANT MORTALITY					
	%	#	%	#	%	RATE	#				
1	6247	9.1%	570	15.3%	957	7.1%	446	34.0%	2,127	9.0	56
2	5937	8.4%	501	18.3%	1084	7.6%	453	33.8%	2,007	6.1	36
3	5773	2.0%	116	8.4%	485	6.8%	391	18.0%	1,039	3.8	22
4	5003	7.0%	351	16.7%	834	8.1%	406	36.6%	1,831	6.0	30
Not Given*	536		49	86		41		161			1
Total	23,496	6.8%	1,587	14.7%	3446	7.4%	1,737	30.5%	7,165	6.2	145

# **1998 Birth Summary by Bexar County Precinct**

Precinct	TOTAL BIRTHS	MATERNAL AGE < 18		LATE PRE-NATAL CARE		LOW BIRTH WEIGHT		BIRTHS TO SINGLE MOTHERS		INFANT MORTALITY	
		%	#	%	#	%	#	%	#	RATE	#
1	6,160	9.3%	571	15.1%	930	7.7%	476	32.8%	2,018	6.7	41
2	6,001	8.4%	506	16.9%	1016	7.0%	418	32.5%	1,948	6.3	38
3	4,928	6.9%	339	16.3%	803	8.0%	393	35.1%	1,731	8.1	40
4	5,542	2.4%	133	10.1%	558	6.3%	349	18.5%	1,027	4.7	26
Not Given*	572	8.0%	46	11.7%	67	6.6%	38	26.4%	151	7.0	4
Total	23,203	6.9%	1,595	14.5%	3374	7.2%	1,674	29.6%	6,875	6.4	149


Late Prenatal Care refers to mother who did not receive prenatal care during the first trimester of pregnancy.

Low Birth Weight represents live-born infants weighing less than 2,500 grams at birth.


Infant Mortality-is defined as infant deaths per 1,000 live births

\*Differences due to Unavailable data (unable to assign address to Precinct)


**2001 Bexar County  
Births by  
Census Tract**




**2001 Bexar County  
Births to Mothers  
Ages < 18 by  
Census Tract**




**2001 Bexar County Births  
with Late Prenatal Care  
(After 1st Trimester) by  
Census Tract**




**2001 Bexar County  
Low Birth Weight  
( $< 2,500$  Grams) Births by  
Census Tract**



**2001 Bexar County  
Births to Single Mothers  
by Census Tract**



**2001 Bexar County  
Infant Deaths  
by Census Tract**



**2001 Bexar County Birth Summary By Census Tract**

CENSUS TRACT	TOTAL BIRTHS	MATERNAL AGE < 18	%	LATE OR NO PRE-NATAL CARE	%	LOW BIRTH WEIGHT	%	BIRTHS TO SINGLE MOTHERS	%	INFANT DEATHS
1101	20	0	0%	4	20%	3	15%	8	40%	0
1102	17	4	24%	6	35%	3	18%	10	59%	1
1103	36	4	11%	3	8%	3	8%	18	50%	1
1104	16	1	6%	1	6%	1	6%	1	6%	0
1105	83	6	7%	17	20%	3	4%	49	59%	0
1106	87	8	9%	22	25%	5	6%	40	46%	0
1107	17	3	18%	4	24%	0	0%	9	53%	0
1108	35	3	9%	7	20%	1	3%	19	54%	0
1109	12	0	0%	2	17%	2	17%	4	33%	1
1110	48	5	10%	10	21%	4	8%	24	50%	0
1201	64	1	2%	4	6%	3	5%	3	5%	0
1202	106	4	4%	27	25%	10	9%	46	43%	0
1203	66	2	3%	2	3%	5	8%	6	9%	0
1204	58	1	2%	4	7%	3	5%	7	12%	1
1205.01	140	6	4%	32	23%	11	8%	64	46%	0
1205.02	91	10	11%	19	21%	13	14%	39	43%	1
1206	75	3	4%	12	16%	3	4%	23	31%	1
1207.01	84	8	10%	21	25%	8	10%	33	39%	0
1207.02	40	0	0%	1	3%	1	3%	8	20%	1
1208	67	1	1%	3	4%	5	7%	11	16%	0
1209.01	23	2	9%	5	22%	3	13%	6	26%	0
1209.02	127	2	2%	19	15%	12	9%	37	29%	2
1210	92	3	3%	11	12%	8	9%	31	34%	0
1211.08	78	2	3%	8	10%	3	4%	10	13%	1
1211.09	122	2	2%	9	7%	8	7%	17	14%	0
1211.10	85	0	0%	4	5%	3	4%	6	7%	0
1211.11	93	1	1%	9	10%	7	8%	23	25%	2
1211.12	40	1	3%	5	13%	4	10%	11	28%	0
1211.14	154	1	1%	8	5%	4	3%	18	12%	0
1211.15	65	1	2%	5	8%	4	6%	6	9%	2
1211.16	30	1	3%	5	17%	3	10%	3	10%	0
1211.17	66	2	3%	4	6%	6	9%	8	12%	0
1211.18	90	1	1%	6	7%	8	9%	17	19%	0
1212.03	67	5	7%	11	16%	5	7%	24	36%	0
1212.04	146	6	4%	20	14%	15	10%	46	32%	2
1212.05	52	2	4%	11	21%	8	15%	24	46%	1
1212.06	97	3	3%	16	16%	13	13%	27	28%	0
1213	43	0	0%	9	21%	2	5%	15	35%	0
1214.02	67	5	7%	14	21%	7	10%	33	49%	0
1214.03	73	6	8%	17	23%	6	8%	27	37%	1
1214.04	78	3	4%	14	18%	3	4%	44	56%	0
1215.01	68	2	3%	1	1%	4	6%	8	12%	0
1215.04	63	0	0%	9	14%	1	2%	10	16%	0
1215.05	64	2	3%	4	6%	2	3%	16	25%	0
1215.06	98	5	5%	14	14%	11	11%	38	39%	2
1215.07	78	9	12%	12	15%	7	9%	23	29%	0
1215.08	61	3	5%	12	20%	2	3%	29	48%	0
1216.01	72	2	3%	8	11%	11	15%	24	33%	1
1216.03	65	1	2%	7	11%	5	8%	16	25%	2
1216.04	38	2	5%	5	13%	5	13%	14	37%	0
1217	100	2	2%	11	11%	5	5%	19	19%	1
1218.01	80	0	0%	9	11%	6	8%	14	18%	0
1218.02	82	3	4%	6	7%	6	7%	15	18%	0
1218.03	67	3	4%	9	13%	11	16%	23	34%	0
1218.04	103	2	2%	9	9%	4	4%	25	24%	0
1218.06	96	2	2%	5	5%	8	8%	8	8%	3
1218.07	106	2	2%	7	7%	10	9%	18	17%	1
1219.01	30	0	0%	0	0%	1	3%	4	13%	0
1219.02	138	2	1%	6	4%	8	6%	14	10%	0
1301	102	15	15%	25	25%	13	13%	56	55%	0

**2001 Bexar County Birth Summary By Census Tract**

CENSUS TRACT	TOTAL BIRTHS	MATERNAL AGE < 18	%	LATE OR NO PRE-NATAL CARE	%	LOW BIRTH WEIGHT	%	BIRTHS TO SINGLE MOTHERS	%	INFANT DEATHS
1301	102	15	15%	25	25%	13	13%	56	55%	0
1302	43	10	23%	6	14%	7	16%	23	53%	2
1303	75	9	12%	14	19%	11	15%	40	53%	1
1304	157	26	17%	29	18%	13	8%	101	64%	1
1305	71	5	7%	15	21%	5	7%	35	49%	0
1306	101	10	10%	25	25%	12	12%	67	66%	2
1307	76	14	18%	19	25%	6	8%	46	61%	2
1308	47	2	4%	11	23%	5	11%	27	57%	0
1309	82	5	6%	13	16%	9	11%	47	57%	2
1310	68	8	12%	15	22%	12	18%	46	68%	0
1311	56	6	11%	13	23%	6	11%	32	57%	0
1312	54	4	7%	9	17%	8	15%	27	50%	0
1313	82	2	2%	12	15%	7	9%	36	44%	0
1314	89	8	9%	15	17%	10	11%	38	43%	2
1315.01	175	11	6%	29	17%	21	12%	68	39%	0
1315.02	109	7	6%	13	12%	10	9%	38	35%	1
1316.01	11	1	9%	1	9%	2	18%	4	36%	1
1316.04	103	7	7%	7	7%	6	6%	23	22%	2
1316.05	118	3	3%	14	12%	12	10%	31	26%	2
1316.06	44	1	2%	2	5%	11	25%	7	16%	2
1316.07	126	6	5%	12	10%	9	7%	20	16%	1
1317	44	0	0%	4	9%	4	9%	4	9%	0
1318	80	3	4%	7	9%	6	8%	19	24%	0
1401	26	5	19%	7	27%	3	12%	6	23%	0
1402	63	7	11%	11	17%	2	3%	34	54%	0
1403	89	11	12%	20	22%	9	10%	50	56%	2
1404	65	6	9%	8	12%	4	6%	32	49%	0
1405	71	1	1%	11	15%	5	7%	31	44%	0
1406	41	5	12%	3	7%	1	2%	14	34%	1
1407	76	6	8%	14	18%	9	12%	33	43%	0
1408	92	10	11%	11	12%	8	9%	41	45%	0
1409	36	0	0%	1	3%	8	22%	12	33%	0
1410	73	10	14%	13	18%	6	8%	39	53%	1
1411	145	16	11%	21	14%	7	5%	69	48%	0
1412	120	6	5%	15	13%	5	4%	54	45%	1
1413	96	3	3%	11	11%	13	14%	41	43%	0
1414.01	113	7	6%	14	12%	6	5%	38	34%	0
1414.02	39	1	3%	7	18%	3	8%	10	26%	0
1415	19	1	5%	0	0%	0	0%	2	11%	1
1416	64	7	11%	3	5%	9	14%	21	33%	0
1417	55	2	4%	5	9%	5	9%	22	40%	2
1418	69	4	6%	7	10%	2	3%	24	35%	0
1419	56	1	2%	8	14%	2	4%	18	32%	1
1501	106	11	10%	15	14%	12	11%	49	46%	0
1502	12	0	0%	1	8%	1	8%	3	25%	0
1503	103	19	18%	22	21%	5	5%	56	54%	0
1504	78	4	5%	12	15%	2	3%	27	35%	0
1505.01	74	6	8%	11	15%	5	7%	24	32%	2
1505.02	74	6	8%	16	22%	5	7%	34	46%	1
1506	105	12	11%	11	10%	8	8%	45	43%	3
1507	116	12	10%	12	10%	14	12%	45	39%	1
1508	64	7	11%	13	20%	6	9%	35	55%	0
1509	122	11	9%	17	14%	8	7%	56	46%	0
1510	68	9	13%	8	12%	12	18%	32	47%	0
1511	155	16	10%	26	17%	19	12%	80	52%	1
1512	166	13	8%	20	12%	14	8%	69	42%	0
1513	195	21	11%	27	14%	14	7%	87	45%	1
1514	94	8	9%	19	20%	6	6%	45	48%	0
1515	48	0	0%	4	8%	7	15%	16	33%	0
1516	113	9	8%	15	13%	5	4%	49	43%	0

**2001 Bexar County Birth Summary By Census Tract**

CENSUS TRACT	TOTAL BIRTHS	MATERNAL AGE < 18	%	LATE OR NO PRE-NATAL CARE	%	LOW BIRTH WEIGHT	%	BIRTHS TO SINGLE MOTHERS	%	INFANT DEATHS
1517	126	4	3%	13	10%	13	10%	51	40%	0
1518	14	1	7%	2	14%	1	7%	6	43%	0
1519	53	8	15%	13	25%	5	9%	25	47%	1
1520	9	0	0%	1	11%	1	11%	4	44%	0
1521	100	8	8%	11	11%	9	9%	24	24%	0
1522	206	22	11%	26	13%	12	6%	68	33%	0
1601	138	23	17%	29	21%	14	10%	65	47%	0
1602	46	6	13%	10	22%	6	13%	16	35%	1
1603	91	6	7%	14	15%	8	9%	43	47%	0
1604	90	6	7%	13	14%	4	4%	51	57%	2
1605	174	23	13%	30	17%	14	8%	86	49%	3
1606	98	10	10%	17	17%	11	11%	39	40%	1
1607.01	70	9	13%	15	21%	5	7%	34	49%	0
1607.02	134	8	6%	20	15%	13	10%	70	52%	0
1608	0	0	n/a	0	n/a	0	n/a	0	n/a	0
1609	176	17	10%	32	18%	17	10%	67	38%	2
1610	62	8	13%	6	10%	8	13%	31	50%	1
1611	145	12	8%	15	10%	15	10%	72	50%	1
1612	25	4	16%	6	24%	1	4%	12	48%	0
1613.01	231	32	14%	47	20%	24	10%	107	46%	3
1613.02	98	13	13%	14	14%	10	10%	35	36%	1
1614.01	25	3	12%	6	24%	1	4%	6	24%	0
1614.02	46	1	2%	6	13%	6	13%	3	7%	0
1615.01	164	13	8%	25	15%	17	10%	63	38%	0
1615.02	149	13	9%	30	20%	11	7%	72	48%	1
1616	85	12	14%	17	20%	6	7%	48	56%	0
1617	34	0	0%	3	9%	1	3%	3	9%	1
1618	109	13	12%	12	11%	6	6%	55	50%	0
1619	86	11	13%	9	10%	3	3%	34	40%	0
1620.01	52	9	17%	8	15%	1	2%	27	52%	0
1620.02	142	11	8%	18	13%	15	11%	47	33%	0
1701.01	121	15	12%	25	21%	7	6%	45	37%	2
1701.02	106	12	11%	18	17%	12	11%	40	38%	0
1702	122	16	13%	28	23%	10	8%	58	48%	1
1703	142	26	18%	36	25%	7	5%	80	56%	0
1704.01	137	19	14%	25	18%	10	7%	68	50%	1
1704.02	114	12	11%	24	21%	10	9%	47	41%	3
1705	86	9	10%	20	23%	4	5%	29	34%	1
1706	91	6	7%	21	23%	6	7%	34	37%	0
1707	110	13	12%	24	22%	14	13%	58	53%	0
1708	47	5	11%	6	13%	3	6%	20	43%	0
1709	78	14	18%	13	17%	13	17%	44	56%	2
1710	110	9	8%	21	19%	9	8%	52	47%	0
1711	85	12	14%	17	20%	3	4%	42	49%	1
1712	93	10	11%	13	14%	11	12%	41	44%	0
1713	134	13	10%	19	14%	7	5%	63	47%	1
1714	157	13	8%	29	18%	20	13%	76	48%	0
1715	125	11	9%	22	18%	4	3%	65	52%	1
1716	155	17	11%	27	17%	13	8%	74	48%	1
1717	106	4	4%	13	12%	5	5%	36	34%	2
1718.01	110	12	11%	14	13%	9	8%	45	41%	0
1718.02	147	21	14%	23	16%	11	7%	74	50%	0
1719.02	64	2	3%	6	9%	6	9%	14	22%	0
1719.03	127	15	12%	21	17%	12	9%	52	41%	1
1719.06	89	0	0%	7	8%	7	8%	12	13%	2
1719.07	125	7	6%	6	5%	11	9%	35	28%	0
1719.08	140	6	4%	12	9%	8	6%	33	24%	0
1719.09	61	4	7%	2	3%	4	7%	16	26%	0
1719.10	139	8	6%	15	11%	11	8%	49	35%	0
1719.11	250	9	4%	27	11%	19	8%	65	26%	0

**2001 Bexar County Birth Summary By Census Tract**

CENSUS TRACT	TOTAL BIRTHS	MATERNAL AGE < 18	%	LATE OR NO PRE-NATAL CARE	%	LOW BIRTH WEIGHT	%	BIRTHS TO SINGLE MOTHERS	%	INFANT DEATHS
1719.12	93	4	4%	4	4%	9	10%	14	15%	0
1720.01	169	4	2%	13	8%	9	5%	25	15%	0
1720.02	22	2	9%	3	14%	3	14%	4	18%	0
1801	102	4	4%	8	8%	6	6%	25	25%	1
1802.01	109	5	5%	18	17%	6	6%	46	42%	0
1802.02	90	7	8%	17	19%	10	11%	45	50%	0
1803	81	3	4%	15	19%	6	7%	37	46%	0
1804	102	8	8%	20	20%	3	3%	50	49%	1
1805.01	102	7	7%	13	13%	9	9%	40	39%	1
1805.03	70	5	7%	13	19%	6	9%	30	43%	0
1805.04	70	9	13%	12	17%	9	13%	37	53%	0
1806.01	121	11	9%	19	16%	4	3%	41	34%	0
1806.02	24	1	4%	2	8%	3	13%	8	33%	0
1807.01	68	3	4%	7	10%	2	3%	23	34%	0
1807.02	117	8	7%	18	15%	8	7%	43	37%	1
1808	74	10	14%	17	23%	4	5%	44	59%	0
1809.01	64	3	5%	6	9%	3	5%	14	22%	0
1809.02	144	8	6%	19	13%	13	9%	55	38%	0
1810.01	39	1	3%	6	15%	1	3%	12	31%	0
1810.03	108	5	5%	17	16%	18	17%	40	37%	1
1810.04	76	3	4%	6	8%	7	9%	22	29%	0
1810.05	77	0	0%	11	14%	9	12%	26	34%	0
1811	58	0	0%	4	7%	6	10%	16	28%	1
1812	43	0	0%	4	9%	4	9%	9	21%	0
1813.01	53	0	0%	7	13%	4	8%	12	23%	1
1813.02	76	0	0%	6	8%	4	5%	19	25%	1
1813.03	81	4	5%	14	17%	5	6%	33	41%	1
1814.01	147	4	3%	6	4%	7	5%	40	27%	1
1814.02	29	1	3%	4	14%	2	7%	13	45%	1
1815.03	111	5	5%	14	13%	3	3%	23	21%	1
1815.04	111	0	0%	7	6%	7	6%	36	32%	1
1815.05	47	0	0%	5	11%	3	6%	15	32%	0
1815.06	53	2	4%	3	6%	7	13%	11	21%	0
1816.01	34	4	12%	4	12%	8	24%	11	32%	0
1816.02	112	10	9%	26	23%	7	6%	43	38%	0
1817.01	81	0	0%	4	5%	9	11%	12	15%	0
1817.03	68	1	1%	5	7%	2	3%	10	15%	0
1817.04	76	4	5%	11	14%	3	4%	28	37%	0
1817.05	62	2	3%	5	8%	2	3%	19	31%	0
1817.06	114	7	6%	13	11%	9	8%	42	37%	1
1817.11	112	1	1%	3	3%	4	4%	11	10%	0
1817.12	36	1	3%	4	11%	0	0%	2	6%	0
1817.13	109	3	3%	17	16%	8	7%	17	16%	0
1817.14	188	13	7%	12	6%	16	9%	34	18%	1
1817.15	128	6	5%	15	12%	10	8%	38	30%	3
1817.16	86	9	10%	8	9%	3	3%	23	27%	1
1817.17	137	6	4%	8	6%	8	6%	21	15%	0
1817.18	72	0	0%	5	7%	2	3%	9	13%	0
1817.19	152	0	0%	9	6%	9	6%	14	9%	0
1818.01	97	0	0%	5	5%	9	9%	26	27%	1
1818.03	94	6	6%	13	14%	9	10%	17	18%	1
1818.06	56	1	2%	0	0%	6	11%	6	11%	0
1818.07	134	0	0%	5	4%	12	9%	14	10%	0
1818.08	11	0	0%	0	0%	0	0%	2	18%	0
1818.09	98	7	7%	9	9%	6	6%	30	31%	0
1818.10	115	1	1%	5	4%	10	9%	14	12%	0
1818.11	37	2	5%	0	0%	3	8%	7	19%	0
1818.12	162	3	2%	6	4%	12	7%	17	10%	2
1819	50	1	2%	4	8%	6	12%	9	18%	0
1820	56	3	5%	1	2%	4	7%	7	13%	0

**2001 Bexar County Birth Summary By Census Tract**


CENSUS TRACT	TOTAL BIRTHS	MATERNAL AGE < 18	%	LATE OR NO PRE-NATAL CARE	%	LOW BIRTH WEIGHT	%	BIRTHS TO SINGLE MOTHERS	%	INFANT DEATHS
1821.01	29	0	0%	0	0%	2	7%	4	14%	0
1821.02	15	0	0%	0	0%	2	13%	3	20%	0
1821.03	15	0	0%	2	13%	1	7%	2	13%	0
1821.04	35	0	0%	3	9%	2	6%	5	14%	0
1901	53	5	9%	11	21%	5	9%	31	58%	1
1902	61	4	7%	4	7%	2	3%	23	38%	0
1903	2	0	n/a	0	n/a	0	n/a	0	n/a	0
1904	25	0	0%	4	16%	1	4%	5	20%	0
1905.01	56	4	7%	11	20%	1	2%	18	32%	0
1905.02	120	11	9%	19	16%	8	7%	50	42%	1
1906.01	85	3	4%	18	21%	7	8%	43	51%	1
1906.02	142	12	8%	26	18%	4	3%	54	38%	0
1907	67	3	4%	6	9%	7	10%	24	36%	0
1908	15	0	0%	0	0%	0	0%	2	13%	0
1909.01	97	7	7%	19	20%	4	4%	35	36%	1
1909.02	39	1	3%	6	15%	1	3%	6	15%	0
1910.02	158	15	9%	33	21%	17	11%	63	40%	0
1910.03	102	6	6%	11	11%	9	9%	47	46%	0
1910.04	80	8	10%	17	21%	1	1%	38	48%	0
1911.01	15	1	7%	2	13%	0	0%	2	13%	0
1911.02	12	0	0%	2	17%	1	8%	3	25%	0
1912	96	5	5%	16	17%	5	5%	36	38%	2
1913.01	10	2	20%	2	20%	2	20%	4	40%	1
1913.02	89	3	3%	18	20%	8	9%	36	40%	1
1914.02	34	0	0%	3	9%	3	9%	2	6%	0
1914.03	129	2	2%	13	10%	11	9%	34	26%	0
1914.05	115	2	2%	9	8%	8	7%	18	16%	2
1914.06	82	0	0%	2	2%	1	1%	5	6%	1
1914.07	114	1	1%	4	4%	6	5%	20	18%	0
1914.08	57	3	5%	6	11%	4	7%	27	47%	0
1914.09	152	5	3%	24	16%	12	8%	57	38%	0
1915.01	76	0	0%	5	7%	4	5%	6	8%	0
1915.02	76	1	1%	9	12%	7	9%	12	16%	0
1916	0	0	n/a	0	n/a	0	n/a	0	n/a	0
1917	62	0	0%	5	8%	2	3%	8	13%	1
1918.02	73	0	0%	3	4%	4	5%	2	3%	0
1918.03	99	1	1%	1	1%	8	8%	3	3%	0
1918.04	42	0	0%	3	7%	4	10%	4	10%	0
1918.05	249	1	0%	11	4%	16	6%	11	4%	0
Unknown	2415	111	5%	330	14%	169	7%	710	29%	21
Total	23,982	1,573	7%	3,205	13%	1,888	8%	8,239	34%	146

The row designated as "Unknown" represents those records that had insufficient data to assign a census tract.


# Deaths




## Neonatal & Infant Mortality Rates per 1,000 Births 1992-2001



## Infant Mortality Rates by Race & Ethnicity per 1,000 Births 1990-2001



## Infant Deaths by Race & Ethnicity 1990-2001



Neonatal Death- a death prior to the 28th day of life

Infant Mortality Rate - Infant deaths per 1,000 live births


2001 Neonatal (< 28 days) Infant Deaths- Bexar County 2001	
Other disorders of brain	1 2%
Other pulmonary heart diseases	1 2%
Newborn affected by maternal complications of pregnancy	8 16%
Newborn affected by complications of placenta, cord, and membranes	7 14%
Newborn affected by other complications of labor and delivery	1 2%
Slow fetal growth and fetal malnutrition	1 2%
Disorders related to short gestation and low birthweight, not elsewhere classified	20 41%
Birth asphyxia	1 2%
Other respiratory conditions originating in the perinatal period	3 6%
Cardiovascular disorders originating in the perinatal period	1 2%
Other conditions of integument specific to newborn	1 2%
Anencephaly and similar malformations	1 2%
Congenital malformations of cardiac septa	1 2%
Renal agenesis and other reduction defects of kidney	1 2%
Other congenital malformations, not elsewhere classified	1 2%
Total	49 100%

Month	Death
Jan.	1
Feb.	1
March	4
April	6
May	5
June	2
July	4
August	3
Sept.	3
Oct.	9
Nov.	8
Dec.	3
Total	49

Infant (>28 days < 1 year) Deaths for 2001	
Septicemia	3 3%
Other and unspecified infectious and parasitic diseases and their sequelae	1 1%
Malignant neoplasms	1 1%
Diseases of heart	2 2%
Cerebrovascular diseases	1 1%
Influenza and pneumonia	2 2%
Pregnancy, childbirth and the puerperium	53 55%
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere	20 21%
All other diseases (Residual)	6 6%
Motor vehicle accidents	1 1%
All other accidents and adverse events	6 6%
Homicide	1 1%
Total	97 100%

Month	Death
Jan.	9
Feb.	7
March	7
April	5
May	15
June	9
July	5
August	11
Sept.	3
Oct.	10
Nov.	8
Dec.	8
Total	97

## Bexar County Sudden Infant Death Syndrome (SIDS) Deaths



## Selected Bexar County Causes of Death by Year

### Using City of San Antonio Data\*

Cause	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Heart Disease	2,546	2,543	2,589	2,592	2,522	2,685	2,561	2,542	2,688	2,454
Cancer, All Forms	1,785	1,773	1,784	1,758	1,824	1,848	1,875	1,755	1,934	1,859
All Unintentional Injury includes MVA	244	272	277	294	303	295	329	294	427	357
Chronic Obstructive Pulmonary Disease (COPD)	343	371	381	366	335	362	336	331	422	434
Hypertension & Hypertensive Renal Disease	157	247	236	228	276	291	330	348	413	467
Stroke	303	344	330	420	359	369	339	386	406	420
Diabetes Mellitus	200	231	242	282	306	314	313	313	402	380
Pneumonia	317	314	324	282	263	274	304	307	350	285
Renal Failure	170	245	230	176	154	182	175	210	221	220
Chronic Liver Disease	124	131	154	135	150	142	156	126	151	120
Suicide	162	151	160	164	150	118	134	115	138	132
Homicide	267	255	213	157	133	123	106	108	92	96
AIDS	169	154	188	176	157	90	70	61	89	84
% of all Causes	80%	80%	81%	80%	79%	78%	78%	73%	79%	76%
Total Deaths All Causes	8,441	8,743	8,808	8,792	8,826	9,115	9,052	9,453	9,843	9,670



## Bexar County Leading Causes of Death by Year

### Using Preliminary Texas Department of Health Data

Cause of Death	2001
Diseases of heart	2,671
Malignant neoplasms	2,039
Cerebrovascular diseases	678
Chronic lower respiratory diseases	634
Diabetes mellitus	475
Alzheimer's disease	233
All other accidents and adverse events	226
Chronic liver disease and cirrhosis	193
Influenza and pneumonia	159
Renal Disease(kidney)	142
Septicemia	132
Suicide	131
Perinatal, Congenital Malformations or Chromosomal Abnormalities	121
Homicide	113
Unlisted Deaths	1,564
Total	9,511

\* The differences in these two tables can be attributed to two factors. First, the TDH data has not been finalized and several deaths still need to be added to the database. Second, the City of San Antonio deaths have been classified using ICD- 9 codes and TDH now uses ICD -10 codes. Different classification methodologies can affect the cause attributed to the death.

## Average Age at Death by Race/Ethnicity for Select Causes of Death



Note: Other Deaths included on Deaths by Race /Ethnicity

## Bexar County 2001 All Causes of Death by Gender

Cause of Death	Female	Rate per 100k	Male	Rate per 100k	Total
Salmonella infections		0.0		0.0	-
Shigellosis and amebiasis		0.0	1	0.1	1
Certain other intestinal infections	3	0.4	1	0.1	4
Respiratory tuberculosis	2	0.3	2	0.3	4
Other tuberculosis	1	0.1		0.0	1
Whooping cough		0.0		0.0	-
Scarlet fever and erysipelas		0.0		0.0	-
Meningococcal infection		0.0		0.0	-
Septicemia	60	8.4	72	10.6	132
Syphilis	1	0.1		0.0	1
Acute poliomyelitis		0.0		0.0	-
Arthropod borne viral encephalitis		0.0		0.0	-
Measles		0.0		0.0	-
Viral hepatitis	10	1.4	13	1.9	23
Human immunodeficiency virus (HIV) disease	14	2.0	70	10.3	84
Malaria		0.0		0.0	-
Other and unspecified infectious and parasitic diseases and their sequelae	26	3.6	16	2.4	42
Malignant neoplasms	957	133.8	1,082	159.7	2,039
In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown	20	2.8	25	3.7	45
Anemias	11	1.5	16	2.4	27
Diabetes mellitus	262	36.6	213	31.4	475
Nutritional deficiencies	8	1.1	4	0.6	12
Meningitis		0.0	1	0.1	1
Parkinson's disease	38	5.3	37	5.5	75
Alzheimer's disease	175	24.5	58	8.6	233
Diseases of heart	1,345	188.0	1,326	195.7	2,671
Essential (primary) hypertension and hypertensive renal disease	43	6.0	27	4.0	70
Cerebrovascular diseases	397	55.5	281	41.5	678
Atherosclerosis	30	4.2	20	3.0	50
Other diseases of circulatory system	50	7.0	44	6.5	94
Influenza and pneumonia	93	13.0	66	9.7	159
Chronic lower respiratory diseases	337	47.1	297	43.8	634
Peptic ulcer	8	1.1	6	0.9	14
Diseases of appendix		0.0	1	0.1	1
Hernia	4	0.6	2	0.3	6
Chronic liver disease and cirrhosis	55	7.7	138	20.4	193
Renal Disease(kidney)	70	9.8	72	10.6	142
Hyperplasia of prostate		0.0		0.0	-
Inflammatory diseases of female pelvic organs		0.0		0.0	-
Perinatal, Congenital Malformations or Chromosomal Abnormalities	54	7.5	67	9.9	121
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere	39	5.5	58	8.6	97
All other diseases (Residual)	428	59.8	345	50.9	773
Motor vehicle accidents	38	5.3	72	10.6	110
All other accidents and adverse events	85	11.9	141	20.8	226
Suicide	30	4.2	101	14.9	131
Homicide	28	3.9	85	12.5	113
All other external causes	13	1.8	13	1.9	26
Pregnancy, Childbirth	3	0.4	-	0.0	3
<b>Total</b>	<b>4,738</b>	<b>662.3</b>	<b>4,773</b>	<b>704.5</b>	<b>9,511</b>
Not Age Adjusted	Population	715,390		677,541	

## Bexar County 2001 All Causes of Death by Race & Ethnicity

Cause of Death	Hispanic	Death Rate per 100K	Non Hispanic White	Death Rate per 100K	Black	Death Rate per 100K	Other	Death Rate per 100K	Total
Salmonella infections		0.0		0.0		0.0		0.0	-
Shigellosis and amebiasis	1	0.1		0.0		0.0		0.0	1
Certain other intestinal infections	4	0.5		0.0		0.0		0.0	4
Respiratory tuberculosis	3	0.4	1	0.2		0.0		0.0	4
Other tuberculosis	1	0.1		0.0		0.0		0.0	1
Whooping cough		0.0		0.0		0.0		0.0	-
Scarlet fever and erysipelas		0.0		0.0		0.0		0.0	-
Meningococcal infection		0.0		0.0		0.0		0.0	-
Septicemia	61	8.1	57	11.5	14	14.0		0.0	132
Syphilis		0.0		0.0	1	1.0		0.0	1
Acute poliomyelitis		0.0		0.0		0.0		0.0	-
Arthropod borne viral encephalitis		0.0		0.0		0.0		0.0	-
Measles		0.0		0.0		0.0		0.0	-
Viral hepatitis	16	2.1	5	1.0	2	2.0		0.0	23
Human immunodeficiency virus (HIV) disease	49	6.5	25	5.0	10	10.0		0.0	84
Malaria		0.0		0.0		0.0		0.0	-
Other and unspecified infectious and parasitic diseases and their sequelae	20	2.6	17	3.4	3	3.0	2	5.0	42
Malignant neoplasms	753	99.5	1,093	220.3	173	173.0	20	50.5	2,039
In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown	18	2.4	24	4.8	3	3.0		0.0	45
Anemias	10	1.3	13	2.6	4	4.0		0.0	27
Diabetes mellitus	297	39.2	142	28.6	32	32.0	4	10.1	475
Nutritional deficiencies	4	0.5	7	1.4	1	1.0	-	0.0	12
Meningitis		0.0	1	0.2		0.0		0.0	1
Parkinson's disease	18	2.4	55	11.1	2	2.0		0.0	75
Alzheimer's disease	61	8.1	164	33.0	7	7.0	1	2.5	233
Diseases of heart	1,013	133.8	1,441	290.4	202	201.9	15	37.9	2,671
Essential (primary) hypertension and hypertensive renal disease	29	3.8	31	6.2	10	10.0		0.0	70
Cerebrovascular diseases	262	34.6	343	69.1	70	70.0	3	7.6	678
Atherosclerosis	18	2.4	30	6.0	2	2.0		0.0	50
Other diseases of circulatory system	34	4.5	48	9.7	12	12.0		0.0	94
Influenza and pneumonia	58	7.7	91	18.3	8	8.0	2	5.0	159
Chronic lower respiratory diseases	147	19.4	445	89.7	37	37.0	5	12.6	634
Peptic ulcer	5	0.7	8	1.6	1	1.0		0.0	14
Diseases of appendix		0.0	1	0.2		0.0		0.0	1
Hernia	5	0.7	1	0.2		0.0		0.0	6
Chronic liver disease and cirrhosis	128	16.9	58	11.7	5	5.0	2	5.0	193
Renal Disease(kidney)	76	10.0	56	11.3	9	9.0	1	2.5	142
Hyperplasia of prostate		0.0		0.0		0.0		0.0	-
Inflammatory diseases of female pelvic organs		0.0		0.0		0.0		0.0	-
Perinatal, Congenital Malformations or Chromosomal Abnormalities	73	9.6	31	6.2	16	16.0	1	2.5	121
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere	49	6.5	36	7.3	9	9.0	3	7.6	97
All other diseases (Residual)	294	38.8	419	84.4	59	59.0	1	2.5	773
Motor vehicle accidents	64	8.5	42	8.5	4	4.0		0.0	110
All other accidents and adverse events	98	12.9	112	22.6	12	12.0	4	10.1	226
Suicide	49	6.5	70	14.1	7	7.0	5	12.6	131
Homicide	71	9.4	19	3.8	20	20.0	3	7.6	113
All other external causes	13	1.7	10	2.0	3	3.0		0.0	26
Pregnancy, childbirth	2	0.3			1	1.0			3
Total	3,804	502.5	4,896	986.6	739	738.8	72	181.7	9,511
Population	757,033		496,245		100,025		39,628		

Not Age Adjusted

# Bexar County 2001 All Causes of Death by Age Group

Cause of Death	<1 year	1 to 4	5 to 14	15 to 24	25 to 44	45 to 64	65 to 74	75 plus	Total
Salmonella infections									-
Shigellosis and amebiasis			1						1
Certain other intestinal infections							1	3	4
Respiratory tuberculosis							2	2	4
Other tuberculosis						1			1
Whooping cough									-
Scarlet fever and erysipelas									-
Meningococcal infection									-
Septicemia	3		1		8	34	16	70	132
Syphilis								1	1
Acute poliomyelitis									-
Arthropod borne viral encephalitis									-
Measles									-
Viral hepatitis					4	11	5	3	23
Human immunodeficiency virus (HIV) disease					56	27	1		84
Malaria									-
Other and unspecified infectious and parasitic diseases and their sequelae	1	2	1		5	11	4	18	42
Malignant neoplasms	1	6	7	7	94	566	520	838	2,039
In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown		2		1	3	6	8	25	45
Anemias				1	2	4	6	14	27
Diabetes mellitus				1	13	94	135	232	475
Nutritional deficiencies				1		2	1	8	12
Meningitis						1			1
Parkinson's disease					1	1	11	62	75
Alzheimer's disease						3	22	208	233
Diseases of heart	3			6	77	358	470	1,757	2,671
Essential (primary) hypertension and hypertensive renal disease					2	10	7	51	70
Cerebrovascular diseases	1			1	11	89	97	479	678
Atherosclerosis					1	2	5	42	50
Other diseases of circulatory system					5	18	18	53	94
Influenza and pneumonia	2			1	5	18	21	112	159
Chronic lower respiratory diseases		2	1	1	9	68	135	418	634
Peptic ulcer						4	2	8	14
Diseases of appendix								1	1
Hernia								6	6
Chronic liver disease and cirrhosis					33	86	38	36	193
Renal Disease(kidney)					5	22	30	85	142
Hyperplasia of prostate									-
Inflammatory diseases of female pelvic organs									-
Perinatal, Congenital Malformations or Chromosomal Abnormalities	100	4	2	3	6	5	1		121
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere	20	1		3	35	16	6	16	97
All other diseases (Residual)	7	3	6	8	65	152	115	417	773
Motor vehicle accidents	1	5	6	33	35	14	6	10	110
All other accidents and adverse events	6	7	5	10	60	37	16	85	226
Suicide			3	23	56	32	6	11	131
Homicide	1	2	3	25	57	21	2	2	113
All other external causes		1		1	8	10	3	3	26
Pregnancy, childbirth				2	1				3
<b>Total</b>	<b>146</b>	<b>36</b>	<b>35</b>	<b>128</b>	<b>657</b>	<b>1,723</b>	<b>1,710</b>	<b>5,076</b>	<b>9,511</b>

## Bexar County Selected Leading Causes of Death by Age Group, 2001

Under 1 Year	Births	23,982	1 - 4 Years	Pop.	85,966
Cause	Number	Rate/1000	Cause	Number	Rate/100K
Perinatal, Congenital Malformations or Chromosomal Abnormalities	100	4.2	All other accidents and adverse events	7	8.1
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere	20	0.8	Malignant neoplasms	6	7.0
All other accidents and adverse events	6	0.3	Motor vehicle accidents	5	5.8
Septicemia	3	0.1	Perinatal, Congenital Malformations or Chromosomal Abnormalities	4	4.7
Diseases of heart	3	0.1	Other and unspecified infectious and parasitic diseases and their sequelae	2	2.3
Influenza and pneumonia	2	0.1	Homicide	2	2.3
Other and unspecified infectious and parasitic diseases and their sequelae	1	0.0	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown	2	2.3
<b>TOTAL (all Causes)</b>	<b>146</b>	<b>6.1</b>	<b>TOTAL (all Causes)</b>	<b>36</b>	<b>41.9</b>
5 - 14 Years	Pop.	221,257	15 - 24 Years	Pop.	213,863
Cause	Number	Rate/100K	Cause	Number	Rate/100K
Malignant neoplasms	7	3.2	Motor vehicle accidents	33	15.4
Motor vehicle accidents	6	2.7	Homicide	25	11.7
All other accidents and adverse events	5	2.3	Suicide	23	10.8
Homicide	3	1.4	All other accidents and adverse events	10	4.7
Suicide	3	1.4	Malignant neoplasms	7	3.3
Perinatal, Congenital Malformations or Chromosomal Abnormalities	2	0.9	Diseases of heart	6	2.8
Other and unspecified infectious and parasitic diseases and their sequelae	1	0.5	Perinatal, Congenital Malformations or Chromosomal Abnormalities	3	1.4
<b>TOTAL (all Causes)</b>	<b>35</b>	<b>15.8</b>	<b>TOTAL (all Causes)</b>	<b>128</b>	<b>59.9</b>
25 - 44 Years	Pop.	487,170	45 - 64 Years	Pop.	277,509
Cause	Number	Rate/100K	Cause	Number	Rate/100K
Malignant neoplasms	94	19.3	Malignant neoplasms	566	204.0
Diseases of heart	77	15.8	Diseases of heart	358	129.0
All other accidents and adverse events	60	12.3	Diabetes mellitus	94	33.9
Homicide	57	11.7	Cerebrovascular diseases	89	32.1
Human immunodeficiency virus (HIV) disease	56	11.5	Chronic liver disease and cirrhosis	86	31.0
Suicide	56	11.5	Chronic lower respiratory diseases	68	24.5
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere	35	7.2	All other accidents and adverse events	37	13.3
<b>TOTAL (all Causes)</b>	<b>657</b>	<b>134.9</b>	<b>TOTAL (all Causes)</b>	<b>1,723</b>	<b>620.9</b>
65 - 74 Years	Pop.	78,116	75 + Years	Pop.	66,282
Cause	Number	Rate/100K	Cause	Number	Rate/100K
Malignant neoplasms	520	838	Diseases of heart	1757	2,650.8
Diseases of heart	470	1757	Malignant neoplasms	838	1,264.3
Diabetes mellitus	135	232	Cerebrovascular diseases	479	722.7
Chronic lower respiratory diseases	135	418	Chronic lower respiratory diseases	418	630.6
Cerebrovascular diseases	97	479	Diabetes mellitus	232	350.0
Chronic liver disease and cirrhosis	38	36	Alzheimer's disease	208	313.8
Renal Disease(kidney)	30	85	Influenza and pneumonia	112	169.0
<b>TOTAL (all Causes)</b>	<b>1710</b>	<b>2,189.1</b>	<b>TOTAL (all Causes)</b>	<b>5076</b>	<b>7,658.2</b>

Rate per 100,000 Population (not age adjusted).

**2001 Death Summary by  
San Antonio City Council District**

COUNCIL	POPULATION	All DEATHS		CANCER		DIABETES		HEART DISEASE		ACCIDENTS		SUICIDES		HOMICIDES	
		#	Rate	#	Rate	#	Rate	#	Rate	#	Rate	#	Rate	#	Rate
1	97,161	850	162	166.7	46	47.3	283	291.3	18	18.5	7	7.2	7	7.2	
2	94,737	869	198	209.0	40	42.2	251	264.9	24	25.3	11	11.6	12	12.7	
3	97,630	785	148	151.6	55	56.3	189	193.6	14	14.3	10	10.2	15	15.4	
4	119,713	732	181	151.2	48	40.1	179	149.5	16	13.4	11	9.2	13	10.9	
5	85,600	749	146	170.6	56	65.4	217	253.5	21	24.5	8	9.3	10	11.7	
6	112,066	615	125	111.5	41	36.6	159	141.9	16	14.3	11	9.8	14	12.5	
7	110,888	802	164	147.9	41	37.0	255	230.0	19	17.1	8	7.2	9	8.1	
8	164,391	795	172	104.6	30	18.2	232	141.1	23	14.0	14	8.5	9	5.5	
9	137,201	862	193	140.7	23	16.8	240	174.9	17	12.4	16	11.7	3	2.2	
10	123,190	743	164	133.1	25	20.3	217	176.2	17	13.8	12	9.7	5	4.1	
Total	1,142,577	7802	1653	144.7	405	35.4	2222	194.5	185	16.2	108	9.5	97	8.5	

**2000 Death Summary by  
San Antonio City Council District**

COUNCIL	POPULATION	All DEATHS		CANCER		DIABETES		HEART DISEASE		ACCIDENTS		SUICIDES		HOMICIDES	
		#	Rate	#	Rate	#	Rate	#	Rate	#	Rate	#	Rate	#	Rate
1	97,161	956	175	180.1	40	41.2	274	282.0	25	25.7	11	11.3	9	9.3	
2	94,737	906	171	180.5	33	34.8	255	269.2	22	23.2	12	12.7	13	13.7	
3	97,630	846	153	156.7	32	32.8	253	259.1	19	19.5	5	5.1	11	11.3	
4	119,713	767	135	112.8	32	26.7	202	168.7	23	19.2	10	8.4	8	6.7	
5	85,600	802	120	140.2	49	57.2	239	279.2	26	30.4	5	5.8	10	11.7	
6	112,066	612	139	124.0	40	35.7	162	144.6	16	14.3	3	2.7	10	8.9	
7	110,888	808	143	129.0	50	45.1	226	203.8	24	21.6	12	10.8	9	8.1	
8	164,391	802	158	96.1	23	14.0	221	134.4	18	10.9	24	14.6	1	0.6	
9	137,201	891	172	125.4	21	15.3	237	172.7	35	25.5	14	10.2	4	2.9	
10	123,190	765	186	151.0	30	24.4	179	145.3	17	13.8	20	16.2	6	4.9	
Total	1,142,577	8155	1552	135.8	350	30.6	2248	196.7	225	19.7	116	10.2	81	7.1	

**1999 Death Summary by  
San Antonio City Council District**

COUNCIL	POPULATION	All DEATHS		CANCER		DIABETES		HEART DISEASE		ACCIDENTS		SUICIDES		HOMICIDES	
		#	Rate	#	Rate	#	Rate	#	Rate	#	Rate	#	Rate	#	Rate
1	98,900	889	141	142.6	23	23.3	263	265.9	21	21.2	10	10.1	14	14.2	
2	109,400	901	174	159.0	18	16.5	247	225.8	19	17.4	3	2.7	18	16.5	
3	101,500	819	146	143.8	26	25.6	223	219.7	17	16.7	10	9.9	10	9.9	
4	123,100	777	147	119.4	28	22.7	200	162.5	8	6.5	12	9.7	14	11.4	
5	99,800	785	109	109.2	51	51.1	207	207.4	22	22.0	5	5.0	8	8.0	
6	122,600	629	116	94.6	30	24.5	154	125.6	5	4.1	12	9.8	10	8.2	
7	114,500	804	143	124.9	27	23.6	223	194.8	22	19.2	12	10.5	6	5.2	
8	158,600	834	185	116.6	24	15.1	205	129.3	12	7.6	13	8.2	12	7.6	
9	132,400	940	191	144.3	24	18.1	253	191.1	17	12.8	9	6.8	1	0.8	
10	131,500	748	137	104.2	24	18.3	203	154.4	10	7.6	10	7.6	3	2.3	
Total	1,192,300	8126	1489	124.9	275	23.1	2178	182.7	153	12.8	96	8.1	96	8.1	


Rate per 100,000 Population for each District.

Not Age Adjusted


\* Since census estimates were unavailable for 2001, 2000 estimates were used. This may have affected the rate calculations somewhat for year 2001.

## San Antonio Selected Death Rates by City Council District 1998-2000


### Diseases of the Heart



### Cancer




### Diabetes Mellitus




Rate per 100,000 Population for each District.

## San Antonio Selected Death Rates by City Council District 1998-2000


### Accidents (Excluding Motor Vehicle)



### Suicides



### Homicides



Rate per 100,000 Population for each District.

**2001 Death Summary  
by Bexar County Precinct**

Not Age Adjusted

Precinct	2000 Census	TOTAL DEATHS	CANCER		DIABETES MELLITUS		HEART DISEASE		ACCIDENTS		SUICIDES		HOMICIDES	
			Death Rate	#	Death Rate	#	Death Rate	#	Death Rate	#	Death Rate	#	Death Rate	#
1	333,943	2,098	138.6	463	42.2	141	163.2	545	15.9	53	8.1	27	9.9	33
2	324,688	2,205	132.1	429	37.9	123	204.2	663	17.2	56	8.0	26	9.9	32
3	407,459	2,424	134.2	547	19.6	80	174.7	712	11.3	46	9.6	39	2.9	12
4	326,799	2,511	166.5	544	35.8	117	209.0	683	20.8	68	11.0	36	9.2	30
Unknown	42													
Total	1,392,931	9,238	142.4	1,983	33.1	461	186.9	2603	16.0	223	9.2	128	7.7	107

**2000 Death Summary  
by Bexar County Precinct**

Not Age Adjusted

Precinct	2000 Census	TOTAL DEATHS	CANCER		DIABETES MELLITUS		HEART DISEASE		ACCIDENTS		SUICIDES		HOMICIDES	
			Death Rate	#	Death Rate	#	Death Rate	#	Death Rate	#	Death Rate	#	Death Rate	#
1	333,943	2,129	116.8	390	27.5	92	175.5	586	18.6	62	6.0	20	7.8	26
2	324,688	2,359	136.7	444	41.3	134	199.9	649	18.5	60	8.9	29	8.3	27
3	407,459	2,488	128.1	522	17.4	71	165.4	674	16.0	65	11.5	47	2.2	9
4	326,799	2,700	166.8	545	30.0	98	225.2	736	21.7	71	12.5	41	9.2	30
Unknown	42	167		33		7		43		7		1		0
Total	1,392,931	9,843	138.8	1,934	28.9	402	193.0	2688	19.0	265	9.9	138	6.6	92

**1999 Death Summary  
by Bexar County Precinct**

Not Age Adjusted

Precinct	1999 Pop Estimate	TOTAL DEATHS	CANCER		DIABETES MELLITUS		HEART DISEASE		ACCIDENTS		SUICIDES		HOMICIDES	
			Death Rate	#	Death Rate	#	Death Rate	#	Death Rate	#	Death Rate	#	Death Rate	#
1	335,038	2071	111.6	374	29.5	99	158.2	530	10.7	36	9.3	31	10.7	36
2	325,753	2308	117.6	383	26.4	86	192.2	626	16.3	53	8.0	26	8.6	28
3	408,795	2509	125.2	512	13.9	57	162.2	663	8.6	35	9.1	37	3.9	16
4	327,871	2506	145.5	477	20.7	68	216.9	711	14.3	47	5.5	18	8.5	28
Unknown	7	59		9		3		12		2		3		
Total	1,397,465	9453	125.6	1755	22.4	313	181.9	2542	12.4	173	8.2	115	7.7	108

**1998 Death Summary  
by Bexar County Precinct**

Not Age Adjusted


Precinct	1998 Pop Estimate	TOTAL DEATHS	CANCER		DIABETES MELLITUS		HEART DISEASE		ACCIDENTS		SUICIDES		HOMICIDES	
			Death Rate	#	Death Rate	#	Death Rate	#	Death Rate	#	Death Rate	#	Death Rate	#
1	314183	1941	112.4	353	28.3	89	232.0	729	16.2	51	8.0	25	8.6	27
2	329578	2241	121.4	400	33.7	111	267.6	882	15.8	52	7.0	23	9.7	32
3	368969	2458	141.7	523	16.3	60	248.8	918	14.6	54	11.4	42	3.8	14
4	340910	2289	169.5	578	14.7	50	233.2	795	11.4	39	12.6	43	9.4	32
Unknown	123		21			3		51		3		1		1
Total	1342480	9052	139.7	1875	23.3	313	251.4	3375	14.8	199	10.0	134	7.9	106

Note: All rates are per 100,000 Population.


The data Represented as "Unknown" are those Records that Lack Sufficient Information to assign to a Precinct.

\*2000 Census was used for 2001 Population

## 2001 Bexar County Heart Disease Deaths by Census Tract




## 2001 Bexar County Heart Disease Death Rate per 100k Population by Census Tract




Not Age Adjusted

Note: All rates are per 100,000 Population


## 2001 Bexar County Cancer Deaths by Census Tract




## 2001 Bexar County Cancer Death Rate per 100k Population by Census Tract



## 2001 Bexar County Diabetes Deaths by Census Tract




## 2001 Bexar County Diabetes Death Rate per 100k Pop by Census Tract




Not Age Adjusted

Note: All rates are per 100,000 Population

## 2001 Heart Disease Deaths by Age by Race/Ethnicity for Bexar County




## 2001 Percent of Heart Disease Deaths by Age by Race/Ethnicity for Bexar County




Age	1 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 Plus	Total
Hispanic	4	5	17	46	74	135	285	293	146	8	1013
NH White	1	1	9	37	97	130	327	548	278	13	1441
Black	2	1	4	9	17	48	48	54	18	1	202
Other	0	0	0	1	2	3	4	4	0	1	15
Total	7	7	30	93	190	316	664	899	442	23	2671
Age	0 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 Plus	
Hispanic	0%	0%	2%	5%	7%	13%	28%	29%	14%	1%	
NH White	0%	0%	1%	3%	7%	9%	23%	38%	19%	1%	
Black	1%	0%	2%	4%	8%	24%	24%	27%	9%	0%	
Other	0%	0%	0%	7%	13%	20%	27%	27%	0%	7%	

## 2001 Cancer Deaths by Age by Race/Ethnicity for Bexar County



## 2001 Percent of Cancer Deaths by Age by Race/Ethnicity for Bexar County




Age	1 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 Plus	Total
Hispanic	8	9	22	54	107	169	232	124	27	1	753
NH White	6	3	7	59	133	204	371	246	64	0	1093
Black	2	2	2	15	36	28	50	28	10	0	173
Other	1	0	2	0	2	8	2	4	1	0	20
Total	17	14	33	128	278	409	655	402	102	1	2039


  

Age	0 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 Plus
Hispanic	1%	1%	3%	7%	14%	22%	31%	16%	4%	0%
NH White	1%	0%	1%	5%	12%	19%	34%	23%	6%	0%
Black	1%	1%	1%	9%	21%	16%	29%	16%	6%	0%
Other	5%	0%	10%	0%	10%	40%	10%	20%	5%	0%

## 2001 Diabetes Deaths by Age by Race/Ethnicity for Bexar County



## 2001 Percent of Diabetes Deaths by Age by Race/Ethnicity for Bexar County




Age	1 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 Plus	Total
Hispanic	0	0	4	16	35	67	105	59	11	0	297
NH White	1	1	1	3	12	18	42	51	12	1	142
Black	0	0	3	0	4	7	8	9	1	0	32
Other	0	0	0	0	0	2	0	2	0	0	4
Total	1	1	8	19	51	94	155	121	24	1	475


  

Age	0 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 Plus
Hispanic	0%	0%	1%	5%	12%	23%	35%	20%	4%	0%
NH White	1%	1%	1%	2%	8%	13%	30%	36%	8%	1%
Black	0%	0%	9%	0%	13%	22%	25%	28%	3%	0%
Other	0%	0%	0%	0%	0%	50%	0%	50%	0%	0%

## 2001 Suicide by Age by Race/Ethnicity for Bexar County



## 2001 Percent of Suicide by Age by Race/Ethnicity for Bexar County




Age	1 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 Plus	Total
Hispanic	8	9	13	8	6	2	0	1	2	0	49
NH White	2	10	16	16	12	2	4	7	1	0	70
Black	2	1	2	2	0	0	0	0	0	0	7
Other	0	3	0	0	1	1	0	0	0	0	5
<b>Total</b>	<b>12</b>	<b>23</b>	<b>31</b>	<b>26</b>	<b>19</b>	<b>5</b>	<b>4</b>	<b>8</b>	<b>3</b>	<b>0</b>	<b>131</b>


  

Age	0 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 Plus
Hispanic	16%	18%	27%	16%	12%	4%	0%	2%	4%	0%
NH White	3%	14%	23%	23%	17%	3%	6%	10%	1%	0%
Black	29%	14%	29%	29%	0%	0%	0%	0%	0%	0%
Other	0%	60%	0%	0%	20%	20%	0%	0%	0%	0%

## 2001 Homicide by Age by Race/Ethnicity for Bexar County



## 2001 Percent of Homicide by Age by Race/Ethnicity for Bexar County



Age	1 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 Plus	Total
Hispanic	12	19	15	13	7	3	2	0	0	0	71
NH White	0	4	9	4	0	0	1	1	0	0	19
Black	3	9	5	2	1	0	0	0	0	0	20
Other	0	0	3	0	0	0	0	0	0	0	3
Total	15	32	32	19	8	3	3	1	0	0	113

Age	0 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 Plus
Hispanic	17%	27%	21%	18%	10%	4%	3%	0%	0%	0%
NH White	0%	21%	47%	21%	0%	0%	5%	5%	0%	0%
Black	15%	45%	25%	10%	5%	0%	0%	0%	0%	0%
Other	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%

**2001 Death Summary By Census Tract**

CENSUS TRACT	2000 Population	TOTAL DEATHS	CANCER	Death Rate	HEART DISEASE	Death Rate	DIABET-MELLIT	ACCIDENTS (w/o MV)	SUICIDES	HOMICIDE
1101	3,316	40	8	241	15	452	3	1	0	1
1102	1,081	11	1	93	4	370	0	0	0	1
1103	2,588	29	8	309	5	193	0	0	0	2
1104	897	13	1	111	7	780	0	1	1	0
1105	2,073	17	1	48	4	193	1	2	0	0
1106	7,088	43	8	113	17	240	1	0	1	2
1107	1,836	19	3	163	5	272	1	1	1	0
1108	2,577	40	6	233	18	698	4	1	1	1
1109	750	3	0	-	0	-	1	0	0	0
1110	2,549	37	8	314	10	392	2	2	0	0
1201	5,508	6	1	18	1	18	0	0	0	0
1202	6,275	70	20	319	19	303	1	4	0	0
1203	7,319	62	11	150	22	301	0	0	0	0
1204	5,019	43	11	219	16	319	0	1	0	0
1205.01	7,805	71	23	295	15	192	4	2	1	0
1205.02	5,411	39	8	148	11	203	2	2	1	1
1206	6,147	53	5	81	19	309	2	2	3	0
1207.01	5,518	63	12	217	16	290	3	3	1	0
1207.02	4,260	72	13	305	26	610	0	2	0	0
1208	6,797	76	16	235	36	530	0	1	0	0
1209.01	1,945	20	3	154	7	360	0	2	0	0
1209.02	6,180	46	9	146	11	178	1	1	0	0
1210	7,242	44	8	110	9	124	3	2	1	0
1211.08	7,090	41	9	127	4	56	3	0	0	1
1211.09	8,792	21	5	57	6	68	1	0	2	0
1211.10	4,694	10	3	64	4	85	0	0	0	0
1211.11	6,830	36	9	132	10	146	2	0	0	0
1211.12	3,479	30	8	230	10	287	0	0	0	0
1211.14	8,941	30	7	78	9	101	1	1	2	0
1211.15	5,426	23	6	111	4	74	2	0	1	0
1211.16	4,704	25	9	191	4	85	1	0	1	0
1211.17	3,678	23	6	163	4	109	0	0	0	0
1211.18	5,718	19	3	52	6	105	2	1	0	0
1212.03	4,209	32	4	95	10	238	0	0	0	0
1212.04	7,296	59	18	247	10	137	1	0	0	2
1212.05	3,214	24	7	218	6	187	0	0	0	1
1212.06	7,737	55	12	155	18	233	2	1	0	0
1213	4,846	65	16	330	18	371	2	4	0	1
1214.02	3,002	13	4	133	3	100	1	2	0	0
1214.03	3,753	30	10	266	8	213	1	2	0	0
1214.04	4,479	25	7	156	4	89	2	1	1	0
1215.01	5,582	32	6	107	11	197	2	1	0	1
1215.04	5,260	49	8	152	16	304	2	0	1	0
1215.05	3,951	13	3	76	4	101	0	1	0	0
1215.06	6,020	63	7	116	18	299	3	2	1	1
1215.07	5,311	42	11	207	11	207	1	2	0	0
1215.08	4,890	19	4	82	5	102	2	2	0	0
1216.01	4,275	38	8	187	4	94	1	1	0	1
1216.03	6,537	43	8	122	10	153	2	0	3	1
1216.04	3,910	26	5	128	8	205	1	0	2	0
1217	8,942	72	20	224	14	157	3	0	2	0
1218.01	5,883	31	13	221	7	119	3	1	0	0
1218.02	3,955	13	3	76	1	25	1	0	0	0
1218.03	4,234	21	4	94	6	142	2	1	1	1
1218.04	6,071	16	4	66	5	82	0	0	2	0
1218.06	5,077	15	2	39	2	39	0	1	1	0
1218.07	6,330	33	8	126	8	126	2	1	1	0
1219.01	2,331	11	4	172	2	86	1	0	1	0
1219.02	8,616	21	9	104	5	58	0	1	0	0

**2001 Death Summary By Census Tract**

CENSUS TRACT	2000 Population	TOTAL DEATHS	CANCER	Death Rate	HEART DISEASE	Death Rate	DIABET-MELLIT	ACCIDENTS (w/o MV)	SUICIDES	HOMICIDE
1301	3,915	49	8	204	15	383	3	3	0	1
1302	1,895	23	1	53	11	580	0	1	1	1
1303	3,384	33	9	266	10	296	1	1	0	0
1304	7,717	77	17	220	21	272	4	2	2	0
1305	3,451	48	7	203	18	522	3	1	1	1
1306	4,525	53	14	309	10	221	3	0	0	0
1307	2,695	19	6	223	6	223	0	0	0	0
1308	3,707	62	17	459	17	459	2	0	2	0
1309	3,654	35	5	137	12	328	3	0	1	1
1310	4,793	66	18	376	25	522	1	2	0	1
1311	2,601	31	3	115	10	384	1	0	0	2
1312	3,013	30	8	266	8	266	2	1	1	0
1313	5,381	74	13	242	21	390	5	2	0	0
1314	6,308	37	8	127	12	190	1	1	1	1
1315.01	9,572	30	5	52	8	84	1	2	2	1
1315.02	7,901	60	21	266	12	152	2	2	2	0
1316.01	2,204	7	3	136	2	91	0	0	0	0
1316.04	4,816	16	6	125	3	62	0	0	0	0
1316.05	9,612	32	8	83	6	62	1	0	1	2
1316.06	2,417	6	1	41	0	-	1	1	0	0
1316.07	6,829	25	8	117	5	73	3	0	0	0
1317	3,803	0	0	-	0	-	0	0	0	0
1318	7,657	47	8	104	12	157	0	1	0	0
1401	1,795	17	2	111	7	390	1	0	0	0
1402	3,525	37	7	199	11	312	1	3	0	3
1403	3,512	33	7	199	8	228	2	1	0	1
1404	3,950	28	4	101	9	228	2	0	0	2
1405	4,208	40	5	119	10	238	0	0	2	0
1406	2,319	21	5	216	2	86	2	0	1	2
1407	4,791	46	11	230	16	334	4	0	0	0
1408	5,370	47	9	168	11	205	6	2	0	0
1409	1,896	20	3	158	2	105	1	0	0	0
1410	3,396	36	6	177	6	177	2	1	0	1
1411	7,226	47	8	111	16	221	2	0	0	0
1412	7,208	69	17	236	20	277	4	3	0	0
1413	6,062	48	9	148	10	165	2	1	0	0
1414.01	8,132	55	12	148	13	160	6	1	1	1
1414.02	1,417	6	1	71	2	141	0	0	0	0
1415	692	1	0	-	0	-	0	0	0	0
1416	1,843	8	2	109	1	54	0	0	0	1
1417	3,875	20	3	77	5	129	0	1	0	0
1418	3,985	19	2	50	5	125	2	1	0	0
1419	4,813	37	7	145	10	208	2	2	0	1
1501	5,658	46	13	230	14	247	2	2	0	1
1502	1,391	11	2	144	4	288	0	1	0	0
1503	5,034	50	6	119	21	417	4	0	0	0
1504	4,311	36	6	139	14	325	2	2	0	0
1505.01	4,543	42	15	330	10	220	2	2	0	0
1505.02	4,127	43	15	363	10	242	3	2	1	2
1506	4,668	43	11	236	13	278	4	0	0	1
1507	6,289	61	17	270	20	318	1	2	1	2
1508	2,563	20	3	117	6	234	2	0	0	1
1509	6,204	53	16	258	11	177	7	1	0	2
1510	3,454	29	3	87	6	174	3	0	1	1
1511	7,161	86	17	237	27	377	5	3	0	0
1512	7,889	42	8	101	10	127	5	0	0	1
1513	9,387	49	15	160	13	138	4	0	0	0
1514	4,700	33	6	128	5	106	4	0	1	1
1515	2,610	29	4	153	7	268	3	1	1	1

**2001 Death Summary By Census Tract**

CENSUS TRACT	2000 Population	TOTAL DEATHS	CANCER	Death Rate	HEART DISEASE	Death Rate	DIABET-MELLIT	ACCIDENTS (w/o MV)	SUICIDES	HOMICIDE
1516	7,281	66	11	151	14	192	3	1	0	0
1517	6,891	49	10	145	13	189	3	1	2	0
1518	925	5	1	108	0	-	0	0	0	0
1519	3,059	26	5	163	6	196	4	1	0	0
1520	710	3	0	-	0	-	1	1	0	0
1521	5,488	29	6	109	7	128	3	0	2	0
1522	10,055	50	11	109	14	139	0	0	0	1
1601	5,731	40	7	122	8	140	2	1	1	0
1602	2,696	30	9	334	7	260	4	0	0	0
1603	5,415	48	12	222	14	259	3	2	0	0
1604	4,935	40	7	142	14	284	3	1	0	1
1605	7,831	79	14	179	25	319	10	1	1	1
1606	4,997	44	5	100	14	280	4	0	0	0
1607.01	3,578	42	8	224	11	307	6	1	0	1
1607.02	5,761	41	8	139	7	122	5	2	1	2
1608	13	0	0	-	0	-	0	0	0	0
1609	8,292	56	7	84	11	133	6	1	2	0
1610	2,838	27	9	317	4	141	3	0	1	0
1611	7,609	62	10	131	14	184	5	2	2	2
1612	1,980	12	3	152	3	152	0	1	0	0
1613.01	9,503	37	12	126	8	84	1	0	1	2
1613.02	4,458	12	4	90	1	22	1	0	1	0
1614.01	7,511	2	0	-	0	-	0	0	0	0
1614.02	1,939	1	1	52	0	-	0	0	0	0
1615.01	7,078	35	11	155	9	127	1	1	0	1
1615.02	6,893	29	6	87	9	131	1	2	0	0
1616	4,361	16	3	69	7	161	0	0	0	0
1617	816	2	1	123	0	-	0	1	0	0
1618	5,179	67	14	270	17	328	2	3	0	1
1619	7,617	33	7	92	7	92	3	2	1	0
1620.01	2,319	6	1	43	2	86	1	0	0	0
1620.02	7,700	36	6	78	8	104	3	2	0	0
1701.01	4,353	34	8	184	10	230	2	2	0	0
1701.02	4,523	48	5	111	12	265	5	2	1	1
1702	6,106	54	11	180	12	197	4	1	0	0
1703	6,307	47	5	79	13	206	3	2	0	1
1704.01	4,897	30	2	41	6	123	5	0	0	0
1704.02	5,348	54	11	206	13	243	3	3	3	0
1705	4,989	56	9	180	16	321	1	1	0	0
1706	4,785	37	10	209	11	230	3	1	0	0
1707	5,045	54	7	139	14	278	7	1	0	0
1708	1,784	16	6	336	3	168	2	0	1	0
1709	4,620	50	8	173	12	260	3	0	1	2
1710	5,859	46	10	171	14	239	3	0	1	3
1711	3,987	30	6	150	9	226	0	1	0	0
1712	3,807	37	6	158	14	368	2	1	0	0
1713	7,958	61	13	163	20	251	5	2	0	1
1714	7,046	44	12	170	10	142	1	2	0	0
1715	7,687	68	11	143	17	221	6	3	0	2
1716	6,051	33	5	83	7	116	3	1	0	2
1717	7,294	37	4	55	8	110	2	1	0	0
1718.01	5,166	38	14	271	13	252	3	0	0	0
1718.02	6,539	39	7	107	8	122	3	1	2	2
1719.02	2,780	5	1	36	1	36	1	0	0	0
1719.03	6,015	19	4	67	8	133	0	1	0	0
1719.06	4,292	12	2	47	2	47	0	0	1	0
1719.07	6,208	26	10	161	5	81	3	0	0	0
1719.08	6,962	13	2	29	5	72	0	0	1	0
1719.09	4,922	14	2	41	4	81	0	0	1	0

**2001 Death Summary By Census Tract**

CENSUS TRACT	2000 Population	TOTAL DEATHS	CANCER	Death Rate	HEART DISEASE	Death Rate	DIABET-MELLIT	ACCIDENTS (w/o MV)	SUICIDES	HOMICIDE
1719.10	8,906	29	10	112	4	45	0	0	2	0
1719.11	12,562	38	14	111	10	80	1	1	1	0
1719.12	3,993	11	7	175	2	50	0	0	0	0
1720.01	8,899	39	9	101	11	124	1	1	0	1
1720.02	2,112	34	7	331	7	331	1	1	0	0
1801	7,715	56	13	169	16	207	4	0	0	1
1802.01	5,136	52	9	175	22	428	3	0	1	0
1802.02	5,252	62	14	267	25	476	1	1	0	1
1803	4,640	40	9	194	15	323	0	1	1	1
1804	4,025	12	1	25	5	124	0	2	0	0
1805.01	5,231	23	4	76	7	134	0	0	0	0
1805.03	4,521	20	4	88	3	66	0	0	0	1
1805.04	3,810	26	2	52	8	210	1	2	1	0
1806.01	7,815	60	12	154	17	218	3	1	1	2
1806.02	3,264	70	8	245	31	950	3	2	0	0
1807.01	4,363	54	9	206	16	367	1	1	1	2
1807.02	6,951	65	5	72	28	403	3	0	1	1
1808	3,016	23	6	199	3	99	1	1	0	0
1809.01	5,140	40	12	233	12	233	2	0	0	0
1809.02	7,786	58	10	128	19	244	3	1	0	1
1810.01	3,325	37	7	211	13	391	1	0	0	0
1810.03	5,245	14	3	57	5	95	0	0	0	0
1810.04	4,049	15	6	148	4	99	0	1	1	0
1810.05	4,254	20	5	118	5	118	2	0	0	1
1811	5,845	53	10	171	17	291	4	0	0	0
1812	4,900	51	14	286	18	367	0	1	1	0
1813.01	3,328	16	5	150	3	90	1	0	0	0
1813.02	5,988	23	3	50	9	150	1	0	0	0
1813.03	3,689	8	0	-	1	27	0	0	0	0
1814.01	8,549	63	10	117	25	292	0	3	0	0
1814.02	2,022	16	2	99	5	247	0	1	0	0
1815.03	4,552	21	7	154	6	132	1	1	1	0
1815.04	5,317	22	3	56	8	150	0	0	2	1
1815.05	4,487	34	5	111	14	312	1	1	0	0
1815.06	3,832	24	8	209	6	157	1	0	1	0
1816.01	3,095	25	4	129	9	291	2	0	0	0
1816.02	5,798	29	9	155	9	155	1	0	1	0
1817.01	1,822	6	1	55	2	110	1	1	0	0
1817.03	6,217	19	8	129	6	97	1	0	1	0
1817.04	5,235	24	6	115	6	115	2	0	0	0
1817.05	2,121	22	3	141	8	377	1	1	0	0
1817.06	6,111	19	1	16	4	65	1	2	1	2
1817.11	4,737	11	2	42	2	42	0	0	1	0
1817.12	3,563	20	2	56	3	84	2	1	0	0
1817.13	7,075	23	8	113	5	71	1	1	1	2
1817.14	11,289	38	9	80	11	97	3	0	1	1
1817.15	6,707	20	4	60	5	75	0	2	2	1
1817.16	7,301	6	1	14	0	-	0	1	0	1
1817.17	9,004	23	5	56	8	89	0	2	0	1
1817.18	4,273	9	1	23	3	70	1	2	0	0
1817.19	5,367	10	3	56	2	37	0	1	1	0
1818.01	6,031	18	4	66	3	50	1	2	0	0
1818.03	6,568	50	11	167	12	183	3	1	1	0
1818.06	4,677	9	4	86	1	21	0	0	0	0
1818.07	6,882	25	11	160	3	44	1	1	2	0
1818.08	1,073	5	1	93	1	93	0	1	0	0
1818.09	5,605	17	5	89	3	54	2	1	0	0
1818.10	6,628	28	6	91	11	166	1	0	0	0
1818.11	3,377	19	5	148	3	89	4	1	2	0

**2001 Death Summary By Census Tract**


CENSUS TRACT	2000 Population	TOTAL DEATHS	CANCER	Death Rate	HEART DISEASE	Death Rate	DIABET-MELLIT	ACCIDENTS (w/o MV)	SUICIDES	HOMICIDE
1818.12	11,561	37	7	61	6	52	5	1	0	1
1819	4,859	17	4	82	4	82	0	0	1	0
1820	3,868	20	6	155	5	129	0	0	1	0
1821.01	4,215	18	9	214	3	71	1	0	0	0
1821.02	3,294	11	7	213	2	61	0	0	0	0
1821.03	1,689	6	0	-	1	59	1	0	0	0
1821.04	3,180	12	3	94	2	63	0	1	0	0
1901	4,036	45	10	248	11	273	3	1	0	0
1902	4,880	56	12	246	19	389	1	0	1	0
1903	63	0	0	-	0	-	0	0	0	0
1904	4,093	20	5	122	6	147	0	0	0	0
1905.01	3,148	29	6	191	8	254	1	1	0	0
1905.02	7,158	55	16	224	15	210	4	1	0	0
1906.01	3,963	28	3	76	11	278	1	0	0	1
1906.02	7,619	59	12	158	19	249	0	1	0	0
1907	3,059	35	8	262	15	490	1	0	0	0
1908	2,343	14	5	213	5	213	0	0	0	0
1909.01	5,474	53	11	201	17	311	1	2	0	0
1909.02	3,874	47	9	232	14	361	2	0	1	0
1910.02	8,879	62	7	79	27	304	5	1	1	1
1910.03	7,009	53	12	171	19	271	1	0	0	0
1910.04	3,757	28	5	133	7	186	2	1	1	0
1911.01	1,668	29	7	420	11	659	1	1	0	1
1911.02	2,534	40	8	316	15	592	1	2	0	0
1912	8,384	87	15	179	29	346	2	0	0	0
1913.01	761	17	6	788	4	526	0	1	0	0
1913.02	4,653	30	3	64	11	236	0	0	2	0
1914.02	3,547	10	2	56	2	56	1	1	0	0
1914.03	7,792	22	6	77	5	64	0	1	1	1
1914.05	7,732	45	11	142	8	103	0	1	3	1
1914.06	6,364	21	5	79	1	16	1	0	0	0
1914.07	6,982	21	6	86	7	100	1	0	0	0
1914.08	3,190	9	1	31	4	125	0	0	1	0
1914.09	4,993	14	3	60	3	60	1	0	1	0
1915.01	6,453	41	10	155	11	170	0	0	0	0
1915.02	6,431	34	10	155	8	124	3	1	0	0
1916	16	0	0	-	0	-	0	0	0	0
1917	8,092	77	15	185	26	321	1	0	0	0
1918.02	4,197	27	4	95	8	191	0	0	0	0
1918.03	4,418	20	6	136	2	45	0	0	1	0
1918.04	3,486	13	1	29	8	229	0	0	0	0
1918.05	10,255	41	15	146	14	137	1	0	1	0
Unknown		273	56		70		14	3	3	6
Total	1,392,931	9,511	2,039	146	2,671	192	475	226	131	113

The row designated as "Unknown" represents those records that had insufficient data to assign a census tract

Source: Census Tract Population-2000 Census

# **Environment**






**1998 to 2000 Asthma  
Inpatient Numbers  
< 18 years of age  
by Zipcode**

3,837 total cases

- 200 to 247
- 150 to 199
- 100 to 149
- 50 to 99
- 1 to 49
- none



**1998 to 2000 Asthma  
Rate per 100k Pop.  
Inpatient Population  
< 18 years of age  
by Zipcode**

$(1998 + 1999 + 2000) / 3$   
Population <18 \*100,000

Total <10 were removed to produce rates

- 500 to 600
- 400 to 499
- 300 to 399
- 200 to 299
- 100 to 199
- 80 to 99

#### Asthma Cases (principal diagnoses 493.0 - 493.91)

Jan 1998 - Dec 2000

Inpatients, Bexar County

All Hospitals in Bexar County

Point of Contact: Pamela R. Wood, M.D. Professor of Pediatrics UTHSCSA

7703 Floyd Curl Dr. San Antonio, TX 78229 210-562-5344

Run by: Raymond Wei, 6/29/02

Bexar County Inpatients Asthma Cases

ZIPCODE	2000 Census Total Population	Asthma Cases 1998	Asthma Cases 1999	Asthma Cases 2000	3 Year Total	Rate per 100k Pop (3 Year average)	2000 Census Ages <18 Population	Asthma Cases Ages <18 for 1998	Asthma Cases Ages <18 for 1999	Asthma Cases Ages <18 for 2000	3 Year Total	Rate per 100k Pop (3 Year average)
78002	6,446	6	10	11	27	140	2,052	4	6	11	21	341
78006	2,012	14	19	14	47	779	532	8	8	7	23	1,441
78015	4,219	-	3	2	5	40	1,020	-	1	2	3	98
78023	7,093	6	1	3	10	47	1,896	3	-	3	6	105
78052	533	7	11	9	27	1,689	132	5	8	7	20	5,051
78069	1,894	3	7	4	14	246	606	3	3	2	8	440
78073	6,277	10	7	15	32	170	2,045	5	5	13	23	375
78101	4,541	3	6	7	16	117	1,256	1	6	6	13	345
78108	634	3	6	9	18	946	192	2	2	2	6	1,042
78109	18,620	24	18	20	62	111	5,921	12	14	10	36	203
78112	6,642	7	13	11	31	156	2,369	5	6	8	19	267
78148	18,355	8	21	15	44	80	5,031	4	14	8	26	172
78152	1,496	1	1	1	3	67	398	1	-	-	1	84
78154	1,528	17	13	24	54	1,178	489	8	4	9	21	1,431
78201	45,957	78	80	90	248	180	12,772	50	49	56	155	405
78202	11,736	32	38	39	109	310	3,747	23	23	20	66	587
78203	5,504	17	28	22	67	406	1,787	7	11	12	30	560
78204	12,074	31	26	23	80	221	3,398	23	23	14	60	589
78205	1,562	1	3	5	9	192	79	-	-	3	3	1,266
78207	57,115	109	123	114	346	202	17,787	74	90	83	247	463
78208	4,995	16	9	11	36	240	1,702	12	8	9	29	568
78209	39,076	26	47	45	118	101	8,532	16	14	17	47	184
78210	38,605	76	84	88	248	214	11,411	45	56	59	160	467
78211	30,216	68	57	64	189	208	9,946	38	35	39	112	375
78212	31,033	28	46	38	112	120	6,240	16	25	22	63	337
78213	38,848	42	68	52	162	139	9,885	24	37	34	95	320
78214	23,786	43	41	45	129	181	7,434	31	28	29	88	395
78215	2,337	2	2	2	6	86	461	2	1	-	3	217
78216	34,139	29	42	41	112	109	7,347	15	26	28	69	313
78217	30,447	21	39	40	100	109	7,375	13	23	24	60	271
78218	30,654	45	38	48	131	142	8,279	31	24	37	92	370
78219	14,234	27	23	34	84	197	4,240	19	12	24	55	432
78220	17,623	46	44	53	143	270	5,131	28	32	30	90	585
78221	33,778	55	66	58	179	177	10,654	36	42	41	119	372
78222	14,893	19	31	35	85	190	4,403	13	19	20	52	394
78223	42,018	55	74	74	203	161	12,871	40	46	49	135	350
78224	15,478	15	32	42	89	192	5,006	9	19	24	52	346
78225	13,543	21	23	21	65	160	3,915	14	12	11	37	315
78226	6,510	9	24	15	48	246	2,236	5	21	13	39	581
78227	40,477	68	84	73	225	185	13,347	45	60	57	162	405
78228	59,915	82	108	121	311	173	17,315	54	70	69	193	372
78229	27,000	25	35	61	121	149	5,302	15	17	38	70	440
78230	36,620	14	43	34	91	83	8,033	8	26	16	50	207
78231	8,882	4	7	7	18	68	2,192	2	6	4	12	182
78232	34,453	26	22	26	74	72	7,821	14	8	14	36	153
78233	36,168	25	47	46	118	109	10,129	9	31	25	65	214
78234	5,297	-	2	-	2	13	1,556	-	1	-	1	21
78235	706	-	-	-	-	-	267	-	-	-	-	-
78236	7,514	-	-	-	-	-	553	-	-	-	-	-
78237	36,318	77	83	78	238	218	11,625	59	60	58	177	508
78238	20,965	34	17	22	73	116	5,533	19	11	13	43	259
78239	26,252	27	38	39	104	132	7,122	16	22	23	61	286
78240	44,134	23	38	50	111	84	9,983	17	21	28	66	220
78241	2,776	-	-	-	-	-	865	-	-	-	-	-
78242	27,380	39	51	67	157	191	10,511	25	39	55	119	377
78244	23,626	30	48	33	111	157	8,365	24	33	25	82	327
78245	30,803	38	32	41	111	120	10,173	22	24	27	73	239
78247	38,728	30	48	48	126	108	11,513	17	33	29	79	229
78248	13,346	4	8	3	15	37	3,832	1	6	3	10	87
78249	33,451	26	28	21	75	75	9,282	17	16	13	46	165
78250	66,549	58	90	76	224	112	22,235	38	59	49	146	219
78251	26,112	13	22	19	54	69	7,764	5	17	12	34	146
78252	4,457	1	1	2	4	30	924	1	1	1	3	108
78253	8,899	8	7	5	20	75	2,784	6	3	3	12	144
78254	1,243	2	3	9	14	375	322	1	1	7	9	932
78255	4,721	1	1	5	7	49	1,142	-	-	2	2	58
78256	3,695	-	4	3	7	63	726	-	4	2	6	275
78257	2,311	-	2	2	4	58	550	-	-	1	1	61
78258	18,610	9	13	23	45	81	6,055	7	9	19	35	193
78259	9,566	4	13	7	24	84	3,250	2	11	6	19	195
78260	1,447	3	5	4	12	276	415	3	4	1	8	643
78261	1,167	-	-	-	-	-	371	-	-	-	-	-
78263	3,937	6	5	3	14	119	1,065	2	4	2	8	250
78264	8,880	7	15	18	40	150	2,958	5	12	7	24	270
78266	41	-	1	-	1	813	10	-	1	-	1	3,333
Total	1,392,897	1,704	2,145	2,190	6,039	145	396,467	1,079	1,363	1,395	3,837	323

Asthma Cases (principal diagnoses 493.0 - 493.91)

Jan 1998 - Dec 2000

Source: Solucient Inpatient Database (ad hoc query)

Inpatients, Bexar County destination

Page 57

Run by: Raymond Wei, 6/29/02


Not Age Adjusted

## Bexar County Environmental Health Indicators 2001




	<u>1995</u>	<u>1996</u>	<u>1997</u>	<u>1998</u>	<u>1999</u>	<u>2000</u>	<u>2001</u>
Animal Bites (reported and substantiated)	3,825	3,794	3,960	3,433	3,318	3,202	3,078
Animals Impounded	48,384	52,816	54,223	49,940	47,749	44,330	49,566
Homes Tested for Lead Based Paint	53	73	47	57	33	56	41
Children with Blood Lead Levels >=10 µg/dL	435	1,204	755	880	917	529	452
Rabies Cases in Animals (Bats)	37	17	12	19	9	17	24
Air Quality Health Alert Days	34	14	26	24	30	10	12
Heat / Cold Exposure Related Illness							
EMS Calls	177	188	146	250	190	205	165
Number of TNRCC * Hazardous Waste Cleanup Sites	2	8	17	14	30	31	45
Tons of Municipal Solid Waste Discarded	307,000	294,000	336,328	389,301	327,025	327,985	340,620

\* TNRCC = Texas Natural Resource Conservation Commission



**Number of Children with Elevated Blood-Lead Levels (>=10 µg/dL) in Bexar County, Texas by Census Tracts from 1/1997 to 12/2001**




**2001 Estimated Extent of Chlorinated Solvents**  
**> Max Exposure Levels in the Shallow Groundwater East of**  
**Kelly AFB, San Antonio, Texas**




Prepared from data supplied by Air Force Base Conversion Agency



**San Antonio Housing Authority  
(Section 8 Housing Units as of June 2002)**



**Maternal Indicators for San Antonio and Public Housing/Section 8**



# **Education and Maternal Indicators**



## Bexar County Education Statistics by School District for 2001

DISTRICT NAME	TOTAL NUMBER OF SCHOOLS	Total Students	% Black	% Hispanic	% Non Hispanic White	% Other	% Economic Disadv.	FOUR-YEAR DROPOUT RATE (CLASS OF 2000)	% GRADUATE D (CLASS OF 2000)	TAAS: % PASSING ALL TESTS TAKEN	SAT I-MEAN TOTAL SCORE (CLASS OF 2000)	NUMBER OF STUDENTS PER TEACHER	TEACHER: AVERAGE YEARS OF EXPERIENCE	TAXABLE PROPERTY VALUE PER PUPIL	STATE AID PER PUPIL	TOTAL BUDGETED REVENUE PER PUPIL
Alamo Heights	6	4510	3	28	69	1	18	2.5	94.1	92.9	1127	14.2	16.7	\$ 561,664	\$ 324	\$ 6,863
East Central	11	7777	12	46	42	1	50.4	7.1	80.4	78.7	932	15.5	11.6	\$ 103,160	\$ 4,275	\$ 6,461
Edgewood	27	12983	2	97	1	0	92.6	19.5	61.8	76.3	780	14.4	11.0	\$ 37,928	\$ 5,242	\$ 6,676
Ft Sam Houston	2	1221	37	17	43	4	40	0	94.6	90.3	990	10.5	14.4	\$ -	\$ 5,096	\$ 9,731
Harlandale	28	14468	0	94	5	0	90.6	5.8	77.3	80.2	815	14.7	10.6	\$ 50,892	\$ 5,884	\$ 7,120
Judson	21	16603	24	37	36	3	41.9	8	77	79	986	14.3	11.0	\$ 159,328	\$ 3,738	\$ 6,473
Lackland	3	977	21	17	56	6	35.6	0	100	91.4	1050	10.9	14.6	\$ -	\$ 4,958	\$ 9,347
North East	65	50875	9	39	49	3	35.5	5.3	83.6	86.7	1016	14.7	12.2	\$ 262,853	\$ 1,674	\$ 7,006
Northside	84	63739	7	54	37	2	44	9	78.7	82.6	995	14.9	12.0	\$ 202,742	\$ 2,448	\$ 6,374
Randolph	3	1144	24	12	60	5	29.7	0	100	91.2	1052	12.1	16.2	\$ -	\$ 4,129	\$ 9,830
San Antonio	104	57273	10	86	4	0	93.4	10.6	73.9	68.3	797	16.1	15.3	\$ 122,392	\$ 4,623	\$ 6,853
Somerset	5	2848	1	80	19	0	78.7	10.1	76.5	78.5	885	16.0	9.1	\$ 42,953	\$ 5,500	\$ 6,760
South San Antonio	18	9984	2	95	3	0	89.7	15	73.6	77.2	832	14.6	13.2	\$ 57,202	\$ 5,224	\$ 6,795
Southside	7	4596	2	81	17	1	77.9	10	81	70.1	889	15.2	9.4	\$ 49,637	\$ 5,023	\$ 6,358
Southwest	15	9608	4	83	13	1	76.4	13.7	73.3	77.8	850	14.6	9.3	\$ 45,275	\$ 5,307	\$ 6,470

Numbers Reflect Bexar County Students Only (Does not include Atascosa County Students, Private, Charter Schools or Home Schools).

Source: Texas Education Agency 2001 Snapshot

## 2001 Maternal Indicators Occurring within Attendance Area by School District

DISTRICT	Births	Births to Mothers Age 10-17	%	Late Prenatal Care Births	%	Low Birth Weight Births	%	Births to Single Mothers	%	Infant Deaths
Alamo Heights	304	12	4%	30	10%	19	6%	64	21%	3
Boerne	32	0	0%	0	0%	1	3%	4	13%	0
Comal	87	0	0%	8	9%	11	13%	7	8%	0
East Central	530	28	5%	59	11%	48	9%	175	33%	7
Edgewood	1220	125	10%	207	17%	106	9%	577	47%	6
Fort Sam Houston	63	0	0%	4	6%	3	5%	3	5%	0
Harlandale	1205	110	9%	165	14%	105	9%	538	45%	8
Judson	1123	49	4%	131	12%	102	9%	311	28%	9
Lackland	7	0	0%	4	57%	0	0%	1	14%	0
Medina Valley	36	5	14%	6	17%	1	3%	14	39%	0
North East	4935	155	3%	571	12%	356	7%	1255	25%	27
Northside	5933	280	5%	576	10%	443	7%	1570	26%	27
Randolph Field	44	0	0%	4	9%	4	9%	4	9%	0
San Antonio	5835	569	10%	1069	18%	468	8%	2715	47%	38
Schertz-Cibolo-Universal City	69	4	6%	10	14%	7	10%	22	32%	2
Somerset	138	15	11%	13	9%	10	7%	43	31%	0
South San Antonio	896	78	9%	133	15%	91	10%	386	43%	5
Southside	341	36	11%	49	14%	24	7%	117	34%	1
Southwest	811	81	10%	120	15%	63	8%	310	38%	6

Numbers Reflect Bexar County Students Only (Does not include Atascosa County Students, Private, Charter Schools or Home Schools).

# Other Public Health Indicators



# Selected Reportable Communicable Diseases

	<u>Bexar Co.</u> <u>1997</u>	<u>Bexar Co.</u> <u>1998</u>	<u>Bexar Co.</u> <u>1999</u>	<u>Bexar Co.</u> <u>2000</u>	<u>Bexar Co.</u> <u>2001</u>	<u>Bexar Co.</u> <u>2001</u>	<u>Texas</u> <u>1998</u>	<u>Texas</u> <u>1998</u>
<b>Vaccine Preventable Diseases</b>	Confirmed Cases	rate/100 K Population	(total cases)	rate/100 K Population				
Measles	0	0	0	0	0	0.0	0	0.0
Mumps	2	2	0	3	1	0.1	42	0.2
Rubella	0	0	0	0	0	0.0	89	0.5
Tetanus	1	0	0	0	0	0.0	4	0.0
Pertussis	40	22	5	29	33	2.3	287	1.5
Polio	0	0	0	0	0	0.0	0	0.0
Chicken Pox*	850	100	117	125	429	29.8	20489	104.0

\*Figures may not reflect actual cases due to passive reporting methodologies.

	<u>Bexar Co.</u> <u>1997</u>	<u>Bexar Co.</u> <u>1998</u>	<u>Bexar Co.</u> <u>1999</u>	<u>Bexar Co.</u> <u>2000</u>	<u>Bexar Co.</u> <u>2001</u>	<u>Bexar Co.</u> <u>2001</u>	<u>Texas</u> <u>1998</u>	<u>Texas</u> <u>1998</u>
<b>Sexually Transmitted Diseases</b>	(total cases)	(total cases)	(total cases)	(total cases)	Confirmed Cases	rate/100 K Population	(total cases)	rate/100 K Population
Chlamydia	4953	6012	5776	5910	5835	405.5	60626	308.5
Gonorrhea	1797	1887	2096	2314	2185	151.8	32934	167.6
Syphilis (All Stages)	404	250	227	292	383	26.6	3975	20.2
AIDS	309	237	211	167	200	13.9	4201	21.4
HIV			193	319	245	17.0	n/a	n/a

	<u>Bexar Co.</u> <u>1997</u>	<u>Bexar Co.</u> <u>1998</u>	<u>Bexar Co.</u> <u>1999</u>	<u>Bexar Co.</u> <u>2000</u>	<u>Bexar Co.</u> <u>2001</u>	<u>Bexar Co.</u> <u>2001</u>	<u>Texas</u> <u>1998</u>	<u>Texas</u> <u>1998</u>
<b>Other Notifiable Diseases</b>	(total cases)	(total cases)	(total cases)	(total cases)	Confirmed Cases	rate/100 K Population	(total cases)	rate/100 K Population
Brucellosis	4	1	1	3	1	0.1	26	0.1
Campylobacter	105	121	128	107	26	1.8	81	4.5
Cholera	0	0	2	0	0	0.0	0	0.0
Dengue	0	0	1	0	0	0.0	10	0.0
Encephalitis Arthropod Borne	0	0	1		0	0.0	4	0.0
Escherichia coli 0157:H7	2	1	5	6	1	0.1	85	0.4
Hantavirus Infections	0	0	0	0	0	0.0	0	0.0
Hemolytic Uremic Syndrome	0	1	0		0	0.0	6	0.0
Hepatitis A	437	334	307	96	49	3.4	3538	18.0
Hepatitis B	100	89	76	78	142	9.9	1960	10.0
Hepatitis C	10	45	51	1343	2890	200.8	462	2.4
Hepatitis D	0	0	0	0	0	0.0	0	0.0
Legionellosis	10	2	3	1	0	0.0	17	0.1
Listeriosis	7	4	4	3	3	0.2	29	0.1
Lyme Disease	1	0	0	0	0	0.0	32	0.2
Malaria	6	4	3	3	1	0.1	78	0.4
Meningitis (Viral)	116	246	143	101	264	18.3	1576	8.0
Meningitis (Bacterial)	25	43	14	38	19	1.3	713	3.6
Meningococcal Infections	13	15	10	8	12	0.8	176	0.9
Rocky Mountain Spotted Fever	0	0	0		0	0.0	3	0.0
Salmonellosis	153	231	136	136	127	8.8	340	17.3
Shigellosis	351	330	354	321	218	15.1	3988	20.3
Strep (Grp A) Invasive	17	43	47	57	29	2.0	597	3.0
Tuberculosis	101	92	93	87	76	5.3	1820	9.3
Typhoid Fever	0	0	0	0	0	0.0	29	0.1
Vibrio Infections	0	2	3	6	1	0.1	6	0.3


<u>2001 Census Population Estimate</u>	<u>Number</u>
Bexar County Population	1,438,973

Not Age Adjusted


Note: All rates are per 100,000 Population

# Selected Preventable Diseases

Number of Cases Vaccine Preventable Diseases 1990-2001




Cases of Selected Reportable Diseases 1993-2001




\* Increase due to expanded surveillance effort


# **Sexually Transmitted Diseases 1993-2001**



## **2001 Reported Sexually Transmitted Diseases by ZIP Code(Chlamydia, Gonorrhea and Syphilis)**



## 2001 Syphilis by ZIP Code



**2001 Reported Sexually Transmitted Diseases by Age**

Age	Early Syphilis	Total Syphilis	Gonorrhea	Chlamydia	Total STDs
0		9		17	26
1				1	1
2					0
3			1	3	4
4	1	1			2
5					0
6					0
7				1	1
8					0
9				1	1
10					0
11					0
12			1	13	14
13			14	38	52
14			36	136	172
15	1	1	68	299	369
16		1	116	411	528
17	3	3	123	464	593
18	4	5	183	566	758
19	8	9	185	566	768
20	9	12	178	532	731
21	4	4	185	481	674
22	10	16	144	427	597
23	7	8	109	313	437
24	6	9	99	255	369
25	3	10	80	225	318
26	3	8	54	160	225
27	5	8	66	166	245
28	4	7	68	112	191
29	4	6	47	102	159
30	9	15	45	88	157
31	3	8	37	69	117
32	7	13	34	58	112
33	8	14	44	50	116
34	4	10	26	26	66
35	6	16	19	38	79
36	6	13	14	33	66
37	9	17	26	29	81
38	10	16	25	16	67
39	7	9	17	18	51
40 Plus	51	135	135	101	422
Missing	0	0	6	20	26
Total	192	383	2,185	5,835	8,595


Bexar County 2001 Reported Sexually Transmitted Diseases

ZIPCODE	2000 Census Total Population	Early Syphilis	Total Syphilis	Gonorrhea	Chlamydia	TOTAL STDs
78002	6,446	-	-	2	16	18
78006	2,012	-	-	1	1	2
78015	4,219	-	-	-	-	-
78023	7,093	-	-	1	-	1
78052	533	-	-	3	1	4
78069	1,894	-	-	6	8	14
78073	6,277	1	1	9	19	29
78101	4,541	-	-	1	5	6
78108	634	-	-	2	2	4
78109	18,620	1	1	19	37	57
78112	6,642	-	-	10	16	26
78148	18,355	-	2	21	47	70
78152	1,496	-	-	1	1	2
78154	1,528	-	-	2	7	9
78201	45,957	19	29	68	174	271
78202	11,736	1	8	80	82	170
78203	5,504	1	6	29	42	77
78204	12,074	1	4	22	45	71
78205	1,562	3	3	5	4	12
78207	57,115	39	64	128	361	553
78208	4,995	4	7	24	39	70
78209	39,076	2	4	40	71	115
78210	38,605	7	12	112	328	452
78211	30,216	4	7	34	130	171
78212	31,033	9	13	33	87	133
78213	38,848	5	10	30	107	147
78214	23,786	5	13	31	94	138
78215	2,337	1	1	7	6	14
78216	34,139	5	7	35	101	143
78217	30,447	2	5	35	50	90
78218	30,654	2	4	77	114	195
78219	14,234	3	4	43	55	102
78220	17,623	2	9	97	96	202
78221	33,778	3	6	39	143	188
78222	14,893	1	4	29	60	93
78223	42,018	6	11	79	202	292
78224	15,478	-	5	19	58	82
78225	13,543	3	4	9	54	67
78226	6,510	2	2	17	38	57
78227	40,477	2	7	59	188	254
78228	59,915	11	18	68	189	275
78229	27,000	3	4	27	89	120
78230	36,620	4	6	24	65	95
78231	8,882	-	-	8	8	16
78232	34,453	-	1	2	28	31
78233	36,168	1	4	31	57	92
78234	5,297	-	-	26	77	103
78235	706	-	-	-	-	-
78236	7,514	-	-	3	33	36
78237	36,318	6	12	57	161	230
78238	20,965	1	3	13	55	71
78239	26,252	1	4	29	59	92
78240	44,134	7	10	32	90	132
78241	2,776	-	-	-	2	2
78242	27,380	2	10	48	117	175
78244	23,626	1	2	25	74	101
78245	30,803	-	1	19	61	81
78247	38,728	1	2	23	47	72
78248	13,346	-	-	4	8	12
78249	33,451	3	7	16	46	69
78250	66,549	1	3	25	61	89
78251	26,112	2	2	19	43	64
78252	4,457	1	6	2	8	16
78253	8,899	1	1	2	15	18
78254	1,243	-	1	2	2	5
78255	4,721	-	-	-	2	2
78256	3,695	-	-	1	12	13
78257	2,311	-	-	-	1	1
78258	18,610	-	-	3	9	12
78259	9,566	-	-	1	6	7
78260	1,447	-	-	3	8	11
78261	1,167	-	-	-	2	2
78263	3,937	-	-	-	1	1
78264	8,880	-	-	6	34	40
78266	41	-	-	-	-	-
Missing		10	33	407	1,476	
Total	1,392,897	190	383	2,185	5,835	6,487

note: missing does not have a zip code number


# Bexar County Population Health Benchmarks

## 2001 Age Adjusted Death Rates for Selected Causes



\* Rates are age adjusted for 1,000,000 population

## Healthy People 2010 Objectives




Infant Mortality Rates calculated for 1,000 births.


## Behavioral Risk Factor Surveillance by Race and Ethnicity 2001

	Diabetes	Tobacco Use	Overweight (BMI)*	Acute Alcohol Risk	No Health Insurance	Chronic Alcohol Risk
Bexar County Non Hispanic White	6.6%	13.2%	36.9%	13.2%	3.5%	6.4%
Bexar County Hispanic	9.5%	18.2%	34.6%	21.6%	20.6%	5.2%
Texas Non Hispanic White	6.1%	22.5%	37.0%	13.7%	11.9%	5.6%
Texas Hispanic	8.1%	22.1%	36.9%	18.9%	43.8%	6.0%
Texas Black	10.1%	21.7%	36.9%	12.0%	22.1%	4.5%

### Bexar County Behavioral Risk Factor Surveillance by Race and Ethnicity 2001



### Texas Behavioral Risk Factor Surveillance by Race and Ethnicity 2001



Source: Behavioral Risk Factor Surveillance Survey (BRFSS) is a random telephone survey of 334 Bexar County Residents.

Overweight (BMI)\* = Body Mass Index (25-29.9)

Acute alcohol risk = 5 or more drinks on an occasion in the past 30 days

Chronic Alcohol risk = 60 or more alcoholic drinks in the past 30 days

Note: There were insufficient responses from population of Blacks to reliability estimate risk factors for 2001.

Source: Weihua Li, MD, MPH

Behavioral Risk Factor Surveillance System

Texas Department of Health

[weihua.li@tdh.state.tx.us](mailto:weihua.li@tdh.state.tx.us)

Note: 2001 data are provisional

# Cancer



## 2001 Deaths to Cancer by Gender and Race /Ethnicity

Cause of Death	Total	MALE	Death Rate per 100K	FEMALE	Death Rate per 100K	Hispanic	Death Rate per 100K	Non Hispanic White	Death Rate per 100K	Black	Death Rate per 100K	Other	Death Rate per 100K
Malignant neoplasms of lip, oral cavity and pharynx	29	21	31.0	8	11.2	11	14.5	15	30.2	3	30.0	0	0.0
Malignant neoplasm of esophagus	51	39	57.6	12	16.8	20	26.4	27	54.4	3	30.0	1	25.2
Malignant neoplasm of stomach	64	31	45.8	33	46.1	40	52.8	15	30.2	9	90.0	0	0.0
Malignant neoplasms of colon, rectum and anus	198	112	165.3	86	120.2	77	101.7	97	195.5	22	219.9	2	50.5
Malignant neoplasms of liver and intrahepatic bile ducts	105	66	97.4	39	54.5	65	85.9	33	66.5	5	50.0	2	50.5
Malignant neoplasm of pancreas	127	69	101.8	58	81.1	58	76.6	60	120.9	8	80.0	1	25.2
Malignant neoplasm of larynx	18	16	23.6	2	2.8	6	7.9	10	20.2	2	20.0	0	0.0
Malignant neoplasms of trachea, bronchus and lung	449	265	391.1	184	257.2	107	141.3	297	598.5	39	389.9	6	151.4
Malignant melanoma of skin	29	19	28.0	10	14.0	6	7.9	23	46.3	0	0.0	0	0.0
Malignant neoplasm of breast	160	3	4.4	157	219.5	58	76.6	81	163.2	18	180.0	3	75.7
Malignant neoplasm of cervix uteri	26	0	0.0	26	36.3	10	13.2	12	24.2	3	30.0	1	25.2
Malignant neoplasms of corpus uteri and uterus, part unspecified	22	0	0.0	22	30.8	7	9.2	13	26.2	2	20.0	0	0.0
Malignant neoplasm of ovary	57	1	1.5	56	78.3	23	30.4	29	58.4	5	50.0	0	0.0
Malignant neoplasm of prostate	110	110	162.4	0	0.0	35	46.2	58	116.9	17	170.0	0	0.0
Malignant neoplasms of kidney and renal pelvis	63	42	62.0	21	29.4	33	43.6	26	52.4	3	30.0	1	25.2
Malignant neoplasm of bladder	31	22	32.5	9	12.6	11	14.5	18	36.3	2	20.0	0	0.0
Malignant neoplasms of meninges, brain and other parts of central nervous	61	42	62.0	19	26.6	21	27.7	37	74.6	3	30.0	0	0.0
Hodgkin's disease	8	5	7.4	3	4.2	4	5.3	4	8.1	0	0.0	0	0.0
Non Hodgkin's lymphoma	91	50	73.8	41	57.3	24	31.7	57	114.9	8	80.0	2	50.5
Leukemia	87	48	70.8	39	54.5	33	43.6	48	96.7	5	50.0	1	25.2
Multiple myeloma and immunoproliferative neoplasms	47	17	25.1	30	41.9	21	27.7	22	44.3	4	40.0	0	0.0
Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related	1	1	1.5	0	0.0	1	1.3	0	0.0	0	0.0	0	0.0
All other and unspecified malignant neoplasms	205	103	152.0	102	142.6	82	108.3	111	223.7	12	120.0	0	0.0
<b>Total</b>	<b>2039</b>	<b>1082</b>	<b>1597.0</b>	<b>957</b>	<b>1337.7</b>	<b>753</b>	<b>994.7</b>	<b>1093</b>	<b>2202.5</b>	<b>173</b>	<b>1729.6</b>	<b>20</b>	<b>504.7</b>

Not Age Adjusted

Note: All rates are per 100,000 Population

## 2001 Deaths to Cancer by Age

Cause of Death	0 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 Plus	Total
Malignant neoplasms of lip, oral cavity and pharynx	0	0	0	1	1	9	8	7	3	0	29
Malignant neoplasm of esophagus	0	0	0	0	1	13	15	15	6	1	51
Malignant neoplasm of stomach	0	1	0	0	10	7	9	20	15	2	64
Malignant neoplasms of colon, rectum and anus	0	0	0	0	19	26	51	56	31	15	198
Malignant neoplasms of liver and intrahepatic bile ducts	1	0	0	1	7	14	31	31	15	5	105
Malignant neoplasm of pancreas	0	0	0	2	9	17	25	45	27	2	127
Malignant neoplasm of larynx	0	0	0	0	0	3	2	10	2	1	18
Malignant neoplasms of trachea, bronchus and lung	0	0	1	0	13	57	105	171	87	15	449
Malignant melanoma of skin	0	0	0	1	2	7	3	13	3	0	29
Malignant neoplasm of breast	0	0	2	7	26	34	31	35	18	7	160
Malignant neoplasm of cervix uteri	0	0	0	2	6	5	3	6	4	0	26
Malignant neoplasms of corpus uteri and uterus, part unspecified	0	0	0	0	2	4	2	6	7	1	22
Malignant neoplasm of ovary	0	0	2	1	2	9	8	20	11	4	57
Malignant neoplasm of prostate	0	0	0	0	0	3	8	40	47	12	110
Malignant neoplasms of kidney and renal pelvis	1	0	0	1	7	9	17	15	11	2	63
Malignant neoplasm of bladder	0	0	0	0	2	3	4	9	8	5	31
Malignant neoplasms of meninges, brain and other parts of central nervous	2	1	1	3	5	8	14	17	8	2	61
Hodgkin's disease	0	0	0	1	2	0	3	1	1	0	8
Non Hodgkin's lymphoma	0	1	1	2	4	12	18	25	24	4	91
Leukemia	3	4	5	5	3	7	10	23	21	6	87
Multiple myeloma and immunoproliferative neoplasms	0	0	0	0	1	4	8	16	13	5	47
Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related	0	0	0	0	0	0	1	0	0	0	1
All other and unspecified malignant neoplasms	3	0	2	6	6	27	33	74	40	14	205
Total	10	7	14	33	128	278	409	655	402	103	2039

## Glossary

**Adjusted rate:** A rate that has taken into account influences on a crude rate, such as differences in age composition of the population.

**Age-specific rate:** "Rate obtained for specific age groups (for example, age-specific fertility rate, death rate, marriage rate, illiteracy rate, school enrollment rate, etc)." <sup>1</sup>

**AIDS:** Acquired Immune Deficiency Syndrome caused by the Human Immunodeficiency Virus (HIV).

**Birth weight:** The weight of an infant at delivery, recorded in pounds and ounces or in grams.

**Childbearing years:** The reproductive age span of women; conventionally defined as 15 through 44 years of age for the U.S. population.

**Congenital anomaly:** Physical, physiological, or metabolic abnormality existing before or at birth, but not necessarily detectable at birth.

**COPD:** Chronic obstructive pulmonary diseases and allied conditions (replaced in ICD-10 by chronic lower respiratory diseases, codes J40 through J47).

**Crude rate:** The rate of any demographic or vital event that is based on an entire population.

**Demography:** The study of populations including their size, age-sex composition, distribution, density, growth, natality, mortality, nuptiality, migration, and any other characteristics which may affect these factors.

**Ethnicity:** The classification of a population that shares common characteristics, such as, religion, traditions, culture, language, and tribal or national origin.

**External cause of death:** Death caused by Accidents and Adverse Effects (ICD-10 codes V01-X59,Y85-Y86), Suicide (X60-X84,Y87.0), Homicide and Legal Intervention (X85-Y09,Y35,Y87.0,Y89.0), and other outside causes (Y10-Y34,Y36,Y40-Y84,Y87.2,Y88,Y89.1,Y89.9).

**Fetal death (stillbirth):** Death of a product of conception prior to the complete expulsion or extraction from its mother, regardless of the length of gestation. In Texas, fetal death registration is required only for those cases with a gestation of 20 weeks or more.

**General fertility rate (GFR):** "The number of live births per 1,000 women age 15-44 years in a given year." <sup>5</sup>

**Gestation period:** Number of completed weeks elapsed between the first day of the last normal menstrual period and the date of delivery.

**Homicide:** Death due to injury purposefully inflicted by other individuals (ICD-10 codes, X85-Y09,Y87.1), death from injuries resulting from legal intervention (homicide committed by law enforcement officers; ICD-10 codes, Y35,Y89.0).

**ICD-10:** The International Classification of Diseases, 10th edition. A system for classifying diseases and injuries developed by the World Health Organization and used worldwide to improve comparability of cause of death statistics reported from different countries. The tenth revision has been in use since January 1, 1999.

**Infant:** An individual less than one year of age.

**Infant death:** Death of an individual less than one year of age. Infant deaths are further classified as neonatal deaths and postneonatal deaths. (See also *neonatal death* and *postneonatal death*.)

**Life expectancy:** The average number of years that a person can anticipate living after a given age, usually birth. Most often based upon the current mortality experience of a population.

**Life table:** Statistical tool typically used to portray expectation of life at various ages. Also provides information on numbers of individuals who survive to various ages, median age at death, age-specific death rates, and the probability of dying at certain ages.

**Live birth:** The complete expulsion or extraction from its mother of a product of conception, regardless of the duration of the pregnancy, which after expulsion shows any vital signs (heart beat, voluntary breathing, umbilical cord pulsation, or voluntary muscle movement).

**Live birth order:** The number of children born alive to a mother, including the current child. Important in demography because the probability of having an additional child is affected by the number of children a woman has previously borne.

**Low birth weight:** A birth weight less than 2,500 grams or less than 5 pounds, 9 ounces.

**Malignant neoplasm:** A tumor having the properties of invasion and metastasis.

**Maternal death:** The death of a woman resulting from pregnancy or childbearing, while pregnant or within 42 days of termination of pregnancy.

**Morbidity:** Refers to the occurrence of diseases in a population.

**Mortality:** Death as a component of population change.

**Multiple causes of death:** All diseases or injuries which led directly to death, or all circumstances of the accident or violence which produced the fatal injury.

**Natality:** Birth as a component of population change.

**Neonatal death:** Death prior to the 28th day of life. (See also *infant death*.)

**Neonate:** An infant less than 28 days of age.

**Occurrence, place of:** Location where a vital event took place.

**Occurrence data:** Data compiled by the geographic place in which the event occurred without regard to the place of residence of the individual(s) involved in the event.

**Perinatal:** Period from 20 weeks gestation through 27 days after birth.

**Plurality:** Classification of the number of children born of one pregnancy. Designated as single, twin, triplet, quadruplet.

**Population:** The total of all individuals in a given area.

**Postneonatal death:** Death on or after the 28th day of life and before the first birthday. (See also *infant death*.)

**Postneonate:** An infant between 28 days and one year of age.

**Preterm birth:** Birth at less than 37 completed weeks of gestation.

**Race:** A geographical population of humankind that possesses inherited distinctive physical characteristics that distinguish it from other populations.

**Rate:** The frequency of a demographic event in a specified period of time divided by the population at risk of the event.

**Ratio:** The relation of one population subgroup to another subgroup, or to the whole population. The denominator of a ratio may or may not include the numerator. If the denominator includes the numerator, it is a special type of ratio known as a proportion. (See also *proportion*.)

**Remaining years of life:** The expectation of life at any given age; the average number of years remaining to be lived by those surviving to that age.

**Standardized rate:** See *adjusted rate*.

**Statistical cut-off:** Date by which records of vital events for a specific year must be received in order to be included in the statistical analyses for that year.

**Underlying cause of death:** The disease or injury which initiated the train of morbid events leading directly to death, or the circumstances of the accident or violence which produced the fatal injury.

**Very low birth weight:** A birth weight less than 1500 grams, or less than 3 pounds, 5 ounces.

**Vital statistics:** Demographic data on induced abortions, births, deaths, fetal deaths, marriages and divorces.

By the City of San Antonio  
San Antonio Metropolitan Health District  
332 W. Commerce  
San Antonio, Texas 78205